



# **Cross-Site Evaluation Data Codebook**

**(to accompany Data Collection Template in Excel)**

## INTRODUCTION

THRIVE (Targeted Highly-Effective Interventions to Reverse the HIV Epidemic) is a Secretary's Minority AIDS Initiative Fund (SMAIF) 4 year demonstration project funding 7 health departments to collaborate with CBOs; healthcare clinics and providers; behavioral health providers; and social services providers to develop comprehensive models of prevention, care, behavioral health, and social services for MSM of color living with or at risk for HIV. This data codebook was developed to guide grantees in the reporting of client-level and program-level data for the THRIVE Cross-site Evaluation. The information collected will be used to track and document the overall performance of the project. It is important that the Epidemiology Branch (EB) and the Program Evaluation Branch (PEB) have complete and accurate data. Each grantee should develop data quality checks and procedures for ensuring the quality of the data. The Table of Content references both the Cross-Site Evaluation List of Indicators approved by the Office and Management and Budget (OMB), as well as the page that an indicator can be found in this codebook.

### Client-Level Data Reporting

The first part of this codebook organizes the client-level data and corresponding response options that should be electronically submitted to CDC via secure FTP. Grantees are encouraged to refer to the THRIVE Definitions Guidance (*a.k.a* data dictionary) for a complete description of cross-site evaluation indicators. **Please note that each grantee is responsible for de-identifying all client-level data *prior* to submitting client-level data to CDC.** When developing unique client identification numbers for your dataset:

- Please ensure that they do not contain any personally identifiable information (PII) such as initials or date of birth (DOB).
- Client IDs must be used consistently across data reporting time periods (i.e., use the same client ID for the same client each time you enter and send data)
- Please develop data collection and program enrollment procedures to avoid double enrollment of a client (and subsequently, entering a client in the dataset under more than one unique client ID).

**All required cross-site evaluation indicators are presented in red, bolded font throughout the codebook and the data collection template.**

### Program-Level Data Reporting

The second half of the Data Collection Codebook organizes the program-level data required in the cross-site evaluation, to also be entered into the accompanying THRIVE Data Collection Template. There are 5 program-level tables and each table is labeled on a separate tab for easy access. There is also a Table of Contents ("TOC Program-level") tab that allows the user to click on any table link to be taken directly to that table (see tabs 1-6 in the Excel spreadsheet).

**OMB Control Number (0920-1178) and OMB Approval Expiration Date (4/30/2020)**

| Section  | Variable Set  | Reference: M&E List of Variables | Page(s) |
|--|---|----------------------------------|---------|
| <b>Client-level Indicators</b>   |   |                                  |         |
| <b>Section A.</b> Demographic Information                                    | Demographics & Sexual Partners  | A1-A7                            | 4-9     |
| <b>Section B.</b> HIV Testing & Status                                       | HIV Testing, HIV Status, and Creatinine (Cr) Testing                        | 1A-1J                            | 9-15    |
| <b>Section C.</b> Services for HIV-Negative Persons                          | PrEP (screening, referral, and linkage)                                     | 2A-2P                            | 25-44   |
|  | nPEP (screening, referral, and linkage)                                     | 3A-3N                            | 44-55   |
| <b>Section D.</b> Services for HIV-Positive Persons                          | HIV Positive – Care and Treatment   | 4A-5O                            | 55-69   |
|  | HIV Positive – ART Adherence  | 6A                               | 69-73   |
|  | HIV Positive – Retention in Care  | 7A-7B                            | 73-76   |
| <b>Section E.</b> Services for HIV-Positive Persons and HIV-Negative Persons | STD (screening, referral, linkage and treatment)                            | 8A                               | 76-85   |
|  | HIV Partner Services  | 9A-9C                            | 86-87   |
|  | Risk-Reduction Interventions  | 10A                              | 87-89   |
|  | Behavioral Health Services (screening, referral, and linkage)               | 11A-12E                          | 89-95   |
|  | Social Services (screening, referral, and linkage)                          | 13A-16E                          | 95-104  |
|  | Health Insurance Navigation Services  | 17A-18E                          | 104-107 |
| <b>Program-level Indicators</b>  |   |                                  |         |
|  | Program-Level Indicators Table of Contents (Excel file)                     |                                  | 108     |
|  | Program-Level Indicators Data Collection Template Screenshot                |                                  | 109     |
|  | Table A1: PrEP Capacity-Building Activities: Staff Hiring and Reassignments | 2Q-2R & 21A                      | 110     |
|  | Table B1: PrEP Capacity-building Activities: Trainings                      | 2S-2U & 20A                      | 111     |
|  | Table C1: PrEP Capacity-Building Activities: Contracts                      | 2V-2W<br>22A-22B                 | 112     |
|  | Table D1: PrEP Awareness and Knowledge Activities                           | 2X-2AA                           | 113     |
|  | Table E: Capacity-Building Activities: Billing and Reimbursement            | 19A-19D                          | 114     |

Items in bolded red font are required data elements

| Variable Name                     | Variable                 | Response Options   | Comments   | Variable Type |
|-----------------------------------|--------------------------|--|--|---------------|
| <b>A. Demographic Information</b> |                          |  |  |               |
| <b>site</b>                       | <b>Grantee</b>           | <b>1=Alabama</b><br><b>2=Baltimore</b><br><b>3=Louisiana</b><br><b>4=New York City</b><br><b>5=Philadelphia</b><br><b>6=Virginia</b><br><b>7=Washington D.C.</b>   |  | <b>Num</b>    |
| agency                            | Local agency             | Enter your local agency codes  | Please include the coding scheme for your local partnering agencies in the Data Submission Summary   | Char          |
| <b>clientId</b>                   | <b>Unique client ID</b>  | <b>Enter client ID</b>   | <b>Must NOT contain any personally identifiable information (PII) such as initials or DOB.</b><br><br><b>Client IDs must be used consistently across data reporting time periods (i.e., use the same client ID for the same client each time you enter and send data).</b> | <b>Char</b>   |
| <b>age</b>                        | <b>Age at enrollment</b> | <b>Enter client age at time of enrollment</b><br><br><b>Or</b><br><br><b>996=Out of Network</b><br><b>997=Don't know/lost to follow-up</b><br><b>998=Refused to answer</b><br><b>[if left blank] = Missing</b> |  | <b>Num</b>    |

| Variable Name | Variable      | Response Options   | Comments  | Variable Type |
|---------------|---------------|--|---|---------------|
| birthyear     | Year of birth | Enter YYYY<br><br>Or<br><br>0996=Out of Network/ 0997=Don't know/lost to follow-up<br>0998=Refused to answer<br>[if left blank] = Missing  |   | Num           |
| ethnicity     | Ethnicity     | 0=Non-Hispanic<br>1=Hispanic<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>[if left blank] = Missing   |   | Num           |
| race          | Race          | 1=American Indian/ Alaska Native<br>2=Asian<br>3=Black/African American<br>4=Native Hawaiian/ Pacific Islander<br>5=White<br>6=Other race (including mixed race)<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>[if left blank] = Missing | For other 6=Other, describe in variable "otherrace", which can include a mix of those listed under "Race" or any other description  | Num           |
| otherrace     | Other Race    | Describe other race<br><br>Or<br><br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing  | This is a string variable.<br><br>Describe other race which can include a mix of those listed under "Race" or other descriptions<br><br><b>Should NOT be equal to 999 if Race=6</b> | Char          |

| Variable Name | Variable         | Response Options  | Comments  | Variable Type |
|---------------|------------------|---|---|---------------|
| sex           | Sex at birth     | 0=Male<br>1=Female<br>2=Intersex<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>[if left blank] = Missing  |   | Num           |
| gender        | Current gender   | 0=Male<br>1=Female<br>2=Transgender woman (MtF)<br>3=Transgender man (FtM)<br>4=Another/other gender (incl. intersex)<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>[if left blank] = Missing | MtF = Male to Female<br>FtM = Female to Male                    | Num           |
| othergender   | Other gender     | Please specify other gender<br><br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   | This is a string variable.<br><br>Should NOT be 999 if gender=4 | Char          |
| Sexpartner_m  | Sex with male(s) | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>[if left blank] = Missing   | This can include past and/or present sex partners               | Num           |

| Variable Name    | Variable                                  | Response Options  | Comments   | Variable Type |
|------------------|---|---|--|---------------|
| Sexpartner_f     | Sex with female(s)                        | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>[if left blank] = Missing | This can include past and/or present sex partners  | Num           |
| Sexpartner_MtF   | Sex with Male-to-Female Transgender Woman | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>[if left blank] = Missing | This can include past and/or present sex partners  | Num           |
| Sexpartner_FtM   | Sex with Female-to-Male Transgender Man   | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>[if left blank] = Missing | This can include past and/or present sex partners  | Num           |
| Sexpartner_other | Sex with Another/Other Gender             | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>[if left blank] = Missing | This can include past and/or present sex partners<br><br>Other sex partner can include a combination of any of the options above; Please describe in "othersexpartner" | Num           |

| Variable Name     | Variable  | Response Options  | Comments  | Variable Type |
|-------------------|---|---|---|---------------|
| othersexpartners  | Other sexual partners   | Describe other sexual partners<br><br>Or<br><br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing      | This is a string variable.<br><br>This can include past and/or present sex partners<br><br>Other sex partner can include a combination of any of the options above<br><br>Should NOT be 999 if Sexpartner_other=1 | Char          |
| RecSexpartner_m   | Recent sex with male(s) (past 12 months)                          | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | This only includes sexual partners in the past 12 months  | Num           |
| RecSexpartner_f   | Recent sex with female(s) (past 12 months)                        | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | This only includes sexual partners in the past 12 months  | Num           |
| RecSexpartner_MtF | Recent sex with Male-to-Female Transgender Woman (past 12 months) | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | This only includes sexual partners in the past 12 months<br><br>MtF = Male to Female  | Num           |

| Variable Name   | Variable  | Response Options  | Comments   | Variable Type |
|---|---|---|--|---------------|
| RecSexpartner_FtM   | Recent sex with Female-to-Male Transgender Man (past 12 months) | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing                             | This only includes sexual partners in the past 12 months<br><br>FtM = Female to Male   | Num           |
| RecSexpartner_other   | Recent sex with Another/Other Gender (past 12 months)           | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing                             | This only includes sexual partners in the past 12 months<br><br>Another/Other sex partner can include any combination of the options above; please describe in "Recentothersexpartner"   | Num           |
| Recothersexpartners   | Other Recent Sexual Partners (past 12 months)                   | Describe other sex partners<br><br>Or<br><br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | This is a string variable.<br><br>This only includes sexual partners in the past 12 months<br><br>Other can include any combination of the options above in "RecSexpartner_other"<br><br><b>Should NOT be 999 if RecSexPartner_other=1</b> | Char          |
| <b>B. HIV Testing &amp; Status</b>  |   |   |  |               |
| 1. HIV Testing, HIV Status, and Creatinine (Cr) Testing<br><i>Answer for each screening event</i> |   |   |  |               |

| Variable Name  | Variable  | Response Options  | Comments   | Variable Type |
|----------------|---|---|--|---------------|
| Linktest_yn    | Was this client linked to HIV testing?                        | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      |  | Num           |
| NAV_HIVtesting | Was a navigator used to link client to HIV testing?           | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      | Please answer Yes if a navigator was used for this client <u>REGARDLESS</u> of whether linkage <u>actually occurred</u>  | Num           |
| testing1_a     | 1 <sup>st</sup> HIV test date (regardless of test technology) | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | Valid dates would be during the THRIVE project period, which started 09/30/2015. All other dates should be considered "Out of Network" and this response option should be used for subsequent testing variables.<br><br>Should NOT be 01/01/1999 if Linktest_yn=1<br>Should be 01/01/1999 if Linktest_yn=0<br>Should NOT occur before 09/30/2015 | Num           |

| Variable Name | Variable                               | Response Options  | Comments   | Variable Type |
|---------------|--|---|--|---------------|
| testing1_b    | Type of 1 <sup>st</sup> HIV test       | 1=Combo Ag/Ab screening assay (4 <sup>th</sup> generation), lab-based<br>2=Rapid Ag/Ab POC test<br>3=NAAT/RNA testing (including VL used for Dx)<br>4= Western Blot<br>5= Geenius HIV-1/2 differentiation assay<br>6= Other assay (specify in next question)<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing | POC = Point of care<br>Ag = antigen<br>Ab = antibody<br>NAAT = nucleic acid amplification test<br><br>Should NOT be 999 if Linktest_yn=1<br>Should be 999 if Linktest_yn=0<br>Should be 999 if testing1_a=01/01/1999 | Num           |
| testing1_c    | Other Type of 1 <sup>st</sup> HIV test | Enter description<br><br>Or<br><br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing  | This is a string variable.<br><br>Should be 999 if Linktest_yn=0, 999<br>Should NOT be 999 if testing1_b=6<br>Should be 999 if testing1_b=1, 2, 3, 4, 5, or 999  | Char          |

| Variable Name                              | Variable                                      | Response Options  | Comments   | Variable Type  |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
|--|---|---|--|----------------|------|-------------|----------|----------------|-------------------|----------------|---------------|--|---------------|-------------------------|---------------|---------------------|---------------|---------------------|---------------|-------------------|---------------|-----|
| testing1_d                                 | 1 <sup>st</sup> HIV Test Result               | 0=Negative<br>1=Positive/reactive<br>2=Indeterminate<br>3=Invalid<br>4=No result<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing | For HIV viral load used for diagnosis, any result below the level of detection should be considered negative, anything quantifiable/above the limit of detection should be considered positive/reactive<br><br>Should NOT be 999 if Linktest_yn=1<br>Should be 999 if Linktest_yn=0<br>Should be 999 if testing1_a = 01/01/1999<br><br>Geenius results should be coded as follows: <table border="1" data-bbox="1440 548 1856 1045"> <thead> <tr> <th data-bbox="1440 548 1640 581">Geenius Result</th> <th data-bbox="1640 548 1856 581">Code</th> </tr> </thead> <tbody> <tr> <td data-bbox="1440 581 1640 613">Nonreactive</td> <td data-bbox="1640 581 1856 613">Negative</td> </tr> <tr> <td data-bbox="1440 613 1640 646">HIV-1 Positive</td> <td data-bbox="1640 613 1856 646">Positive/reactive</td> </tr> <tr> <td data-bbox="1440 646 1640 678">HIV-2 Positive</td> <td data-bbox="1640 646 1856 678">Indeterminate</td> </tr> <tr> <td data-bbox="1440 678 1640 776">HIV-2 Positive with HIV-1 cross-reactivity</td> <td data-bbox="1640 678 1856 776">Indeterminate</td> </tr> <tr> <td data-bbox="1440 776 1640 841">HIV Positive untypeable</td> <td data-bbox="1640 776 1856 841">Indeterminate</td> </tr> <tr> <td data-bbox="1440 841 1640 906">HIV-1 indeterminate</td> <td data-bbox="1640 841 1856 906">Indeterminate</td> </tr> <tr> <td data-bbox="1440 906 1640 971">HIV-2 indeterminate</td> <td data-bbox="1640 906 1856 971">Indeterminate</td> </tr> <tr> <td data-bbox="1440 971 1640 1045">HIV indeterminate</td> <td data-bbox="1640 971 1856 1045">Indeterminate</td> </tr> </tbody> </table> | Geenius Result | Code | Nonreactive | Negative | HIV-1 Positive | Positive/reactive | HIV-2 Positive | Indeterminate | HIV-2 Positive with HIV-1 cross-reactivity | Indeterminate | HIV Positive untypeable | Indeterminate | HIV-1 indeterminate | Indeterminate | HIV-2 indeterminate | Indeterminate | HIV indeterminate | Indeterminate | Num |
| Geenius Result                             | Code  |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| Nonreactive                                | Negative                                      |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV-1 Positive                             | Positive/reactive                             |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV-2 Positive                             | Indeterminate                                 |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV-2 Positive with HIV-1 cross-reactivity | Indeterminate                                 |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV Positive untypeable                    | Indeterminate                                 |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV-1 indeterminate                        | Indeterminate                                 |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV-2 indeterminate                        | Indeterminate                                 |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV indeterminate                          | Indeterminate                                 |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| testing1_e                                 | Type of Diagnosis at 1 <sup>st</sup> HIV test | 0=Previously Diagnosed<br>1=Newly Diagnosed<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      | Should NOT be 999 if Linktest_yn=1<br>Should be 999 if Linktest_yn=0   | Num            |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |

| Variable Name | Variable   | Response Options  | Comments  | Variable Type |
|---------------|--|---|---|---------------|
| testing2_a    | 2 <sup>nd</sup> HIV test date<br>(regardless of test technology) | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing   | Valid dates would be during the THRIVE project period, which started 09/30/2015. All other dates should be considered "Out of Network" and this response option should be used for subsequent testing variables.<br><br>Should be 01/01/1999 if Linktest_yn=0<br>Should occur after the date for testing1_a<br>Should NOT occur before 09/30/2015 | Num           |
| testing2_b    | Type of 2 <sup>nd</sup> HIV test                                 | 1=Combo Ag/Ab screening assay (4 <sup>th</sup> generation), lab-based<br>2=Rapid Ag/Ab POC test<br>3=NAAT/RNA testing (including VL used for Dx)<br>4= Western Blot<br>5= Geenius HIV-1/2 differentiation assay<br>6= Other assay (specify in next question)<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing | POC = Point of care<br>Ag = antigen<br>Ab = antibody<br>NAAT = nucleic acid amplification test<br><br>Should be 999 if Linktest_yn=0<br>Should be 999 if testing2_a = 01/01/999   | Num           |
| testing2_c    | Other Type of 2 <sup>nd</sup> HIV test                           | Enter description<br><br>Or<br><br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing  | This is a string variable.<br><br>Should be 999 if Linktest_yn=0<br>Should NOT be 999 if testing2_b=6<br>Should be 999 if testing1_b=1, 2, 3, 4, 5, or 999  | Char          |

| Variable Name                              | Variable                                      | Response Options  | Comments   | Variable Type  |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
|--|---|---|--|----------------|------|-------------|----------|----------------|-------------------|----------------|---------------|--|---------------|-------------------------|---------------|---------------------|---------------|---------------------|---------------|-------------------|---------------|-----|
| testing2_d                                 | 2 <sup>nd</sup> HIV Test Result               | 0=Negative<br>1=Positive/reactive<br>2=Indeterminate<br>3=Invalid<br>4=No result<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing | For HIV viral load used for diagnosis, any result below the level of detection should be considered negative, anything quantifiable/above the limit of detection should be considered positive/reactive<br><br>Should be 999 if Linktest_yn=0<br>Should be 999 if testing2_a = 01/01/1999<br><br>Geenius results should be coded as follows: <table border="1" data-bbox="1415 548 1856 1045"> <thead> <tr> <th>Geenius Result</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Nonreactive</td> <td>Negative</td> </tr> <tr> <td>HIV-1 Positive</td> <td>Positive/reactive</td> </tr> <tr> <td>HIV-2 Positive</td> <td>Indeterminate</td> </tr> <tr> <td>HIV-2 Positive with HIV-1 cross-reactivity</td> <td>Indeterminate</td> </tr> <tr> <td>HIV Positive untypeable</td> <td>Indeterminate</td> </tr> <tr> <td>HIV-1 indeterminate</td> <td>Indeterminate</td> </tr> <tr> <td>HIV-2 indeterminate</td> <td>Indeterminate</td> </tr> <tr> <td>HIV indeterminate</td> <td>Indeterminate</td> </tr> </tbody> </table> | Geenius Result | Code | Nonreactive | Negative | HIV-1 Positive | Positive/reactive | HIV-2 Positive | Indeterminate | HIV-2 Positive with HIV-1 cross-reactivity | Indeterminate | HIV Positive untypeable | Indeterminate | HIV-1 indeterminate | Indeterminate | HIV-2 indeterminate | Indeterminate | HIV indeterminate | Indeterminate | Num |
| Geenius Result                             | Code  |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| Nonreactive                                | Negative                                      |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV-1 Positive                             | Positive/reactive                             |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV-2 Positive                             | Indeterminate                                 |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV-2 Positive with HIV-1 cross-reactivity | Indeterminate                                 |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV Positive untypeable                    | Indeterminate                                 |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV-1 indeterminate                        | Indeterminate                                 |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV-2 indeterminate                        | Indeterminate                                 |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV indeterminate                          | Indeterminate                                 |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| testing2_e                                 | Type of Diagnosis at 2 <sup>nd</sup> HIV test | 0=Previously Diagnosed<br>1=Newly Diagnosed<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      | Should be 999 if Linktest_yn=0   | Num            |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |

| Variable Name | Variable  | Response Options  | Comments   | Variable Type |
|---------------|---|---|--|---------------|
| testing3_a    | 3 <sup>rd</sup> HIV test date (regardless of test technology) | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing   | Valid dates would be during the THRIVE project period, which started 09/30/2015. All other dates should be considered "Out of Network" and this response option should be used for subsequent testing variables.<br><br>Should be 01/01/1999 if Linktest_yn=0<br>Should occur after the dates for testing1_a, testing2_a<br>Should NOT occur before 09/30/2015 | Num           |
| testing3_b    | Type of 3 <sup>rd</sup> HIV test                              | 1=Combo Ag/Ab screening assay (4 <sup>th</sup> generation), lab-based<br>2=Rapid Ag/Ab POC test<br>3=NAAT/RNA testing (including VL used for Dx)<br>4= Western Blot<br>5= Geenius HIV-1/2 differentiation assay<br>6= Other assay (specify in next question)<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing | POC = Point of care<br>Ag = antigen<br>Ab = antibody<br>NAAT = nucleic acid amplification test<br><br>Should be 999 if Linktest_yn=0<br>Should be 999 if testing3_a = 01/01/999  | Num           |
| testing3_c    | Other Type of 3 <sup>rd</sup> HIV test                        | Enter description<br><br>Or<br><br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing  | This is a string variable.<br><br>Should be 999 if Linktest_yn=0<br>Should NOT be 999 if testing3_b=6<br>Should be 999 if testing1_b=1, 2, 3, 4, 5, or 999   | Char          |

| Variable Name                              | Variable                                      | Response Options  | Comments   | Variable Type  |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
|--|---|---|--|----------------|------|-------------|----------|----------------|-------------------|----------------|---------------|--|---------------|-------------------------|---------------|---------------------|---------------|---------------------|---------------|-------------------|---------------|-----|
| testing3_d                                 | 3 <sup>rd</sup> HIV Test Result               | 0=Negative<br>1=Positive/reactive<br>2=Indeterminate<br>3=Invalid<br>4=No result<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing | <p>For HIV viral load used for diagnosis, any result below the level of detection should be considered negative, anything quantifiable/above the limit of detection should be considered positive/reactive</p> <p>Should be 999 if Linktest_yn=0<br/>                     Should be 999 if Testing3_a = 01/01/1999</p> <p>Geenius results should be coded as follows:</p> <table border="1"> <thead> <tr> <th>Geenius Result</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Nonreactive</td> <td>Negative</td> </tr> <tr> <td>HIV-1 Positive</td> <td>Positive/reactive</td> </tr> <tr> <td>HIV-2 Positive</td> <td>Indeterminate</td> </tr> <tr> <td>HIV-2 Positive with HIV-1 cross-reactivity</td> <td>Indeterminate</td> </tr> <tr> <td>HIV Positive untypeable</td> <td>Indeterminate</td> </tr> <tr> <td>HIV-1 indeterminate</td> <td>Indeterminate</td> </tr> <tr> <td>HIV-2 indeterminate</td> <td>Indeterminate</td> </tr> <tr> <td>HIV indeterminate</td> <td>Indeterminate</td> </tr> </tbody> </table> | Geenius Result | Code | Nonreactive | Negative | HIV-1 Positive | Positive/reactive | HIV-2 Positive | Indeterminate | HIV-2 Positive with HIV-1 cross-reactivity | Indeterminate | HIV Positive untypeable | Indeterminate | HIV-1 indeterminate | Indeterminate | HIV-2 indeterminate | Indeterminate | HIV indeterminate | Indeterminate | Num |
| Geenius Result                             | Code  |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| Nonreactive                                | Negative                                      |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV-1 Positive                             | Positive/reactive                             |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV-2 Positive                             | Indeterminate                                 |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV-2 Positive with HIV-1 cross-reactivity | Indeterminate                                 |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV Positive untypeable                    | Indeterminate                                 |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV-1 indeterminate                        | Indeterminate                                 |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV-2 indeterminate                        | Indeterminate                                 |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV indeterminate                          | Indeterminate                                 |   |  |                |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| testing3_e                                 | Type of Diagnosis at 3 <sup>rd</sup> HIV test | 0=Previously Diagnosed<br>1=Newly Diagnosed<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      | Should be 999 if Linktest_yn=0   | Num            |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |

| Variable Name | Variable  | Response Options  | Comments   | Variable Type |
|---------------|---|---|--|---------------|
| testing4_a    | 4 <sup>th</sup> HIV test date (regardless of test technology) | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing   | Valid dates would be during the THRIVE project period, which started 09/30/2015. All other dates should be considered "Out of Network" and this response option should be used for subsequent testing variables.<br><br>Should be 01/01/1999 if Linktest_yn=0<br>Should occur after dates for testing1_a, testing2_a, testing3_a<br>Should NOT occur before 09/30/2015 | Num           |
| testing4_b    | Type of 4 <sup>th</sup> HIV test                              | 1=Combo Ag/Ab screening assay (4 <sup>th</sup> generation), lab-based<br>2=Rapid Ag/Ab POC test<br>3=NAAT/RNA testing (including VL used for Dx)<br>4= Western Blot<br>5= Geenius HIV-1/2 differentiation assay<br>6= Other assay (specify in next question)<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing | POC = Point of care<br>Ag = antigen<br>Ab = antibody<br>NAAT = nucleic acid amplification test<br><br>Should be 999 if Linktest_yn=0<br>Should be 999 if testing4_a = 01/01/999  | Num           |
| testing4_c    | Other Type of 4 <sup>th</sup> HIV test                        | Enter description<br><br>Or<br><br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing  | This is a string variable.<br><br>Should be 999 if Linktest_yn=0<br>Should NOT be 999 if testing2_b=6<br>Should be 999 if testing1_b=1, 2, 3, 4, 5, or 999   | Char          |

| Variable Name  | Variable                                      | Response Options  | Comments   | Variable Type |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
|--|---|---|--|---------------|------|-------------|----------|----------------|-------------------|----------------|---------------|--|---------------|-------------------------|---------------|---------------------|---------------|---------------------|---------------|-------------------|---------------|-----|
| testing4_d   | 4 <sup>th</sup> HIV Test Result               | 0=Negative<br>1=Positive/reactive<br>2=Indeterminate<br>3=Invalid<br>4=No result<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing | For HIV viral load used for diagnosis, any result below the level of detection should be considered negative, anything quantifiable/above the limit of detection should be considered positive/reactive<br><br>Should NOT be 999 if Linktest_yn=1<br>Should be 999 if Linktest_yn=0<br>Should be 999 if Testing4_a = 01/01/1999<br><br>Genius results should be coded as follows: <table border="1" data-bbox="1339 545 1843 1045"> <thead> <tr> <th>Genius Result</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Nonreactive</td> <td>Negative</td> </tr> <tr> <td>HIV-1 Positive</td> <td>Positive/reactive</td> </tr> <tr> <td>HIV-2 Positive</td> <td>Indeterminate</td> </tr> <tr> <td>HIV-2 Positive with HIV-1 cross-reactivity</td> <td>Indeterminate</td> </tr> <tr> <td>HIV Positive untypeable</td> <td>Indeterminate</td> </tr> <tr> <td>HIV-1 indeterminate</td> <td>Indeterminate</td> </tr> <tr> <td>HIV-2 indeterminate</td> <td>Indeterminate</td> </tr> <tr> <td>HIV indeterminate</td> <td>Indeterminate</td> </tr> </tbody> </table> | Genius Result | Code | Nonreactive | Negative | HIV-1 Positive | Positive/reactive | HIV-2 Positive | Indeterminate | HIV-2 Positive with HIV-1 cross-reactivity | Indeterminate | HIV Positive untypeable | Indeterminate | HIV-1 indeterminate | Indeterminate | HIV-2 indeterminate | Indeterminate | HIV indeterminate | Indeterminate | Num |
| Genius Result  | Code  |   |  |               |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| Nonreactive  | Negative                                      |   |  |               |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV-1 Positive   | Positive/reactive                             |   |  |               |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV-2 Positive   | Indeterminate                                 |   |  |               |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV-2 Positive with HIV-1 cross-reactivity   | Indeterminate                                 |   |  |               |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV Positive untypeable  | Indeterminate                                 |   |  |               |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV-1 indeterminate  | Indeterminate                                 |   |  |               |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV-2 indeterminate  | Indeterminate                                 |   |  |               |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| HIV indeterminate  | Indeterminate                                 |   |  |               |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| testing4_e   | Type of Diagnosis at 4 <sup>th</sup> HIV test | 0=Previously Diagnosed<br>1=Newly Diagnosed<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      | Should be 999 if Linktest_yn=0   | Num           |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |
| NOTE: If there are more than 4 testing events for this client, please use the same variable naming convention above, starting with variable name "Testing5_a", "Testing6_a", etc. and report data for all 5 variables (a-e) per additional testing event |   |   |  |               |      |             |          |                |                   |                |               |  |               |                         |               |                     |               |                     |               |                   |               |     |

| Variable Name   | Variable  | Response Options   | Comments  | Variable Type |
|---|---|--|---|---------------|
| <p>The following section pertains to HIV status for all types of HIV infection (acute, recent, and established) for all THRIVE clients (including HIV negative, HIV positive, or unknown)</p> |   |  |   |               |
| HIVstatus   | What is the client's HIV status? (regardless of whether they were tested in network)      | 0=HIV negative<br>1=HIV positive<br>2=HIV status unknown<br>3=Indeterminant<br>[if left blank] = Missing   |   | Num           |
| HIVstatusChanged_yn   | Was this HIV positive client classified as HIV negative at the time of THRIVE enrollment? | 0=No at the time of enrollment this client tested positive, was identified as positive, or self-reported an HIV-positive status<br>1=Yes, at the time of enrollment this client tested HIV-negative<br>2=Yes; this client was not tested at the time of enrollment, but client self-reported an HIV-negative status.<br>3=Not sure (e.g., client considered HIV-negative at enrollment, but it is unclear how HIV status was determined).<br><br>995=This variable was not included at the time client was enrolled<br>999=Not applicable<br>[if left blank] = Missing | This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "995". | Num           |

| Variable Name         | Variable   | Response Options   | Comments  | Variable Type |
|-----------------------|--|--|---|---------------|
| Date_HIVstatusChanged | On what date did the HIV status of this client, as reported in THRIVE, change from negative to positive? | MM/DD/YYYY<br><br>Or<br><br>01/01/1995=This variable was not included at the time client was enrolled<br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing   | Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "01/01/1995".<br><br>Should be 01/01/1995 if HIVStatusChanged_yn=995<br><br>Should be 01/01/1999 if HIVStatusChanged_yn=999<br><br>Should NOT be 01/01/1995, 01/01/1999 if HIVStatusChanged_yn=0-3 | Num           |
| PrevDiag_yn           | Previously diagnosed HIV infection identified (regardless of test technology)                            | 0=Newly diagnosed HIV infection in THRIVE<br>1=Previously diagnosed HIV infection in THRIVE<br>2= Previously diagnosed HIV infection as determined by eHARS (not diagnosed previously in THRIVE)<br>3= Previously diagnosed HIV infection by self-report or patient documents only (not in eHARS)<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing | A Previously diagnosed HIV infection is reported for a person who either<br>(1) self-reports having previously tested positive <u>or</u><br>(2) has been previously reported to the health department's surveillance registry as being diagnosed with an HIV infection or<br>(3) there is documentation by the provider as being diagnosed with HIV infection<br><br>Should NOT be 0-3 if HIVStatus=0, 2<br>Should NOT be 999 if HIVStatus=1  | Num           |

| Variable Name | Variable   | Response Options   | Comments   | Variable Type |
|---------------|--|--|--|---------------|
| HIVinfection1 | Type of Newly Diagnosed HIV Infection  | 0=Acute<br>1=Recent<br>2=Established<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing  | An <u>Acute</u> infection is characterized by a positive test for HIV-1 RNA or a positive test that includes p24 antigen, with a negative or indeterminate HIV-1 IgG antibody test.<br>A <u>Recent</u> infection is characterized by a positive IgG antibody test for HIV-1 (which differentiates it from acute infection), with a documented negative or indeterminate test within the six months prior to the positive test.<br>An <u>Established</u> infection is characterized by a fully developed IgG antibody response sufficient to meet the interpretive criteria for a positive Western blot or IFA.<br><br>Should NOT be 999 if PrevDiag_Yn=0<br>Should NOT be 0,1,2 if PrevDiag_yn=1,2,3,999 | Num           |
| HIVinfection2 | Date diagnosed with HIV infection  | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing  | This variable refers to all clients diagnosed as HIV-positive. All HIV-positive clients should have a date for when they were diagnosed HIV positive. This date <u>may</u> precede the beginning of the THRIVE funding period (09/30/2015).<br><br>Should be 01/01/1999 if PrevDiag_yn=999   | Num           |
| Creatinine_1a | Was Creatinine (Cr) testing conducted for this client as part of THRIVE services? (1 <sup>st</sup> Cr testing) | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | This variable was added after the first data submission (Dec 2017). If you intend to collect this <u>non-required</u> data, please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888=We will not report this data".   | Num           |

| Variable Name | Variable  | Response Options  | Comments  | Variable Type |
|---------------|---|---|---|---------------|
| Creatinine_1b | Date Creatinine (Cr) testing was conducted for this client as part of THRIVE services (1 <sup>st</sup> Cr testing)                              | MM/DD/YYYY<br><br>Or<br><br>01/01/1995=This variable was not included at the time client was enrolled<br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank] = Missing | Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>This variable was added after the first data submission (Dec 2017). If you intend to collect this <u>non-required</u> data, please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "01/01/1988=We will not report this data".<br><br>Should be 01/01/1995 if Creatine_1a=995<br>Should be 01/01/1999 if Creatine_1a=999<br>Should be 01/01/1988 if Creatine_1a=888<br>Should NOT be 01/01/1999 if Creatine_1a=1 | Num           |
| Creatinine_1c | Was Creatinine (Cr) testing conducted for this client as part of THRIVE PrEP screening – Point of Care Cr testing? (1 <sup>st</sup> Cr testing) | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing  | This variable was added after the first data submission (Dec 2017). If you intend to collect this <u>non-required</u> data, please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888=We will not report this data".  | Num           |
| Creatinine_1d | Was Creatinine (Cr) testing conducted for this client as part of THRIVE PrEP screening – Lab-based CR testing? (1 <sup>st</sup> Cr testing)     | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing  | This variable was added after the first data submission (Dec 2017). If you intend to collect this <u>non-required</u> data, please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888=We will not report this data".  | Num           |

| Variable Name | Variable  | Response Options   | Comments   | Variable Type |
|---------------|---|--|--|---------------|
| Creatinine_1e | Was Creatinine (Cr) testing conducted for this client as part of THRIVE nPEP screening – Point of Care Cr testing? (1 <sup>st</sup> Cr testing) | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | This variable was added after the first data submission (Dec 2017). If you intend to collect this <u>non-required</u> data, please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888=We will not report this data". | Num           |
| Creatinine_1f | Was Creatinine (Cr) testing conducted for this client as part of THRIVE nPEP screening – Lab-based CR testing? (1 <sup>st</sup> Cr testing)     | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | This variable was added after the first data submission (Dec 2017). If you intend to collect this <u>non-required</u> data, please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888=We will not report this data". | Num           |
| Creatinine_1g | Was Creatinine (Cr) testing conducted for this client as part of some other THRIVE service? (1 <sup>st</sup> Cr testing)                        | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | This variable was added after the first data submission (Dec 2017). If you intend to collect this <u>non-required</u> data, please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888=We will not report this data". | Num           |

| Variable Name | Variable  | Response Options   | Comments   | Variable Type |
|---------------|---|--|--|---------------|
| Creatinine_1h | Please describe other THRIVE service for which Creatinine (Cr) testing was conducted for this client.<br>(1 <sup>st</sup> Cr testing) | Describe other THRIVE service<br><br>Or<br><br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>988=We will not report this data<br>888=We will not report this data<br>[if left blank] = Missing | This variable was added after the first data submission (Dec 2017). If you intend to collect this <u>non-required</u> data, please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888=We will not report this data". | Num           |
| Creatinine_2a | Was Creatinine (Cr) testing conducted for this client as part of THRIVE services?<br>(2 <sup>nd</sup> Cr testing)                     | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   | This variable was added after the first data submission (Dec 2017). If you intend to collect this <u>non-required</u> data, please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888=We will not report this data". | Num           |

| Variable Name | Variable  | Response Options  | Comments  | Variable Type |
|---------------|---|---|---|---------------|
| Creatinine_2b | Date Creatinine (Cr) testing was conducted for this client as part of THRIVE services (2 <sup>nd</sup> Cr testing)                              | MM/DD/YYYY<br>Or<br>01/01/1995=This variable was not included at the time client was enrolled<br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank] = Missing | Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>This variable was added after the first data submission (Dec 2017). If you intend to collect this <u>non-required</u> data, please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "01/01/1988=We will not report this data".<br><br>Should be 01/01/1995 if Creatine_2a=995<br>Should be 01/01/1999 if Creatine_2a=999<br>Should be 01/01/1988 if Creatine_2a=888<br>Should NOT be 01/01/1999 if Creatine_2a=1 | Num           |
| Creatinine_2c | Was Creatinine (Cr) testing conducted for this client as part of THRIVE PrEP screening – Point of Care Cr testing? (2 <sup>nd</sup> Cr testing) | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing  | This variable was added after the first data submission (Dec 2017). If you intend to collect this <u>non-required</u> data, please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888=We will not report this data".  | Num           |
| Creatinine_2d | Was Creatinine (Cr) testing conducted for this client as part of THRIVE PrEP screening – Lab-based CR testing? (2 <sup>nd</sup> Cr testing)     | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing  | This variable was added after the first data submission (Dec 2017). If you intend to collect this <u>non-required</u> data, please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888=We will not report this data".  | Num           |

| Variable Name | Variable  | Response Options   | Comments   | Variable Type |
|---------------|---|--|--|---------------|
| Creatinine_2e | Was Creatinine (Cr) testing conducted for this client as part of THRIVE nPEP screening – Point of Care Cr testing? (2 <sup>nd</sup> Cr testing) | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | This variable was added after the first data submission (Dec 2017). If you intend to collect this <u>non-required</u> data, please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888=We will not report this data". | Num           |
| Creatinine_2f | Was Creatinine (Cr) testing conducted for this client as part of THRIVE nPEP screening – Lab-based CR testing? (2 <sup>nd</sup> Cr testing)     | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | This variable was added after the first data submission (Dec 2017). If you intend to collect this <u>non-required</u> data, please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888=We will not report this data". | Num           |
| Creatinine_2g | Was Creatinine (Cr) testing conducted for this client as part of some other THRIVE service? (2 <sup>nd</sup> Cr testing)                        | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | This variable was added after the first data submission (Dec 2017). If you intend to collect this <u>non-required</u> data, please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888=We will not report this data". | Num           |

| Variable Name   | Variable   | Response Options   | Comments   | Variable Type |
|---|--|--|--|---------------|
| Creatinine_2h   | Please describe other THRIVE service for which Creatinine (Cr) testing was conducted for this client. (2 <sup>nd</sup> Cr testing) | Describe other THRIVE service<br><br>Or<br><br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>988=We will not report this data<br>888=We will not report this data<br>[if left blank] = Missing | This variable was added after the first data submission (Dec 2017). If you intend to collect this <u>non-required</u> data, please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888=We will not report this data". | Num           |
| NOTE: If there are more than 2 Creatinine (Cr) testing events for this client, please use the same variable naming convention above, starting with variable name "Creatinine3_a", "Creatinine3_b", etc. and report data for all 8 variables (a-h) per additional Cr testing event |  |  |  |               |
| <b>C. Services for HIV-Negative Persons</b>   |  |  |  |               |
| 2. Screening and Provision of PrEP Services (Cascading) (Client-level data)<br><i>Answer for each PrEP screening event</i>  |  |  |  |               |
| PrEPscreened  | Was client screened for PrEP?  | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing  |  | Num           |

| Variable Name | Variable  | Response Options   | Comments  | Variable Type |
|---------------|---|--|---|---------------|
| PrEPO         | Initial Date screened for PrEP eligibility                    | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | Clients screened for PrEP involves the use of a questionnaire based on the PrEP guidelines and represents the entry point into the PrEP program. Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Please enter the first date the client was screened for PrEP eligibility<br><br>Should be 01/01/1999 if PrEPScreened=0,999   | Num           |
| PrEP1         | Date screened for PrEP eligibility (Best Case PrEP Encounter) | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | Clients screened for PrEP involves the use of a questionnaire based on the PrEP guidelines and represents the entry point into the PrEP program. Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Please enter the date of the Best Case PrEP Encounter. The Best Case PrEP Encounter refers to the furthest the client reached in the PrEP continuum (e.g., referral, linkage, prescription). This allows for overwriting of this date from one reporting period to the next.<br><br>Should be 01/01/1999 if PrEPScreened = 0,999 | Num           |
| PrEP2         | Eligible for PrEP (Best Case PrEP Encounter)                  | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      | A person is eligible for PrEP if he or she is HIV-negative and at substantial risk for HIV infection based on PrEP screener.<br><br>Please enter the response for the Best Case PrEP Encounter. The Best Case PrEP Encounter refers to the furthest the client reached in the PrEP continuum (e.g., referral, linkage, prescription). This allows for overwriting of this date from one reporting period to the next.<br><br>Should NOT be 999 if PrEPScreened=1  | Num           |

| Variable Name | Variable  | Response Options  | Comments   | Variable Type |
|---------------|---|---|--|---------------|
| PrEP3         | Referred to an internal or external PrEP provider (Best Case PrEP Encounter)      | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   | Referral to a PrEP provider is the process through which providers give clients or patients information about how to access PrEP services.<br><br>Please enter the response for the Best Case PrEP Encounter. The Best Case PrEP Encounter refers to the furthest the client reached in the PrEP continuum (e.g., referral, linkage, prescription). This allows for overwriting of this date from one reporting period to the next.  | Num           |
| PrEP4         | Date referred to an internal or external PrEP provider (Best Case PrEP Encounter) | <i>MM/DD/YYYY</i><br><br>Or<br><br>01/01/1996=Out of Network<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | Referral to a PrEP provider is the process through which providers give clients or patients information about how to access PrEP services. Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Please enter the date for the Best Case PrEP Encounter. The Best Case PrEP Encounter refers to the furthest the client reached in the PrEP continuum (e.g., referral, linkage, prescription). This allows for overwriting of this date from one reporting period to the next.<br><br>Should be 01/01/1999 if Prep3 = 0, 999<br>Should NOT be 01/01/1999 if Prep3=1<br>Should NOT occur before 9/30/2015 | Num           |

| Variable Name | Variable   | Response Options   | Comments  | Variable Type |
|---------------|--|--|---|---------------|
| PrEP5         | Accepted PrEP referral (Best Case PrEP Encounter)      | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      | To Accept a PrEP referral is to affirm receipt and/or desire to receive referral for PrEP services<br><br>Please enter the response for the Best Case PrEP Encounter. The Best Case PrEP Encounter refers to the furthest the client reached in the PrEP continuum (e.g., referral, linkage, prescription). This allows for overwriting of this date from one reporting period to the next.   | Num           |
| PrEP6         | Date accepted PrEP referral (Best Case PrEP Encounter) | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | To Accept a PrEP referral is to affirm receipt and/or desire to receive referral for PrEP services. Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Please enter the date for the Best Case PrEP Encounter. The Best Case PrEP Encounter refers to the furthest the client reached in the PrEP continuum (e.g., referral, linkage, prescription). This allows for overwriting of this date from one reporting period to the next.<br><br>Should be 01/01/1999 if PrEP5=0, 999<br>Should NOT be 01/01/1999 if PrEP5=1<br>Should NOT occur before 9/30/2015 | Num           |

| Variable Name | Variable  | Response Options  | Comments  | Variable Type |
|---------------|---|---|---|---------------|
| PrEP7         | Linked with a PrEP provider (Best Case PrEP Encounter)      | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      | Linked to a PrEP provider refers to the outcome of the referral or linkage of a PrEP eligible person, as indicated by the person's attendance at the first appointment (attendance of initial visit).<br><br>Please enter the response for the Best Case PrEP Encounter. The Best Case PrEP Encounter refers to the furthest the client reached in the PrEP continuum (e.g., referral, linkage, prescription). This allows for overwriting of this date from one reporting period to the next.  | Num           |
| PrEP8         | Date linked with a PrEP provider (Best Case PrEP Encounter) | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | Linked to a PrEP provider refers to the outcome of the referral or linkage of a PrEP eligible person, as indicated by the person's attendance at the first appointment (attendance of initial visit). Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Please enter the date for the Best Case PrEP Encounter. The Best Case PrEP Encounter refers to the furthest the client reached in the PrEP continuum (e.g., referral, linkage, prescription). This allows for overwriting of this date from one reporting period to the next.<br><br>Should be 01/01/1999 if PrEP7=0, 999<br>Should NOT be 01/01/1999 if PrEP7=1<br>Should NOT occur before 9/30/2015 | Num           |

| Variable Name | Variable   | Response Options   | Comments  | Variable Type |
|---------------|--|--|---|---------------|
| PrEP9         | Clinically assessed for PrEP indication (Best Case PrEP Encounter) | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | <p>Clinically assessed for PrEP indication refers to whether a person at substantial risk of being infected (based on a behavioral screener) is deemed clinically eligible to take PrEP. Eligibility can include: documented negative HIV test result, no signs/symptoms of acute HIV infection, normal renal function, no contraindicated medications, and documented hepatitis B virus infection and vaccination status.</p> <p>Please enter the response for the Best Case PrEP Encounter. The Best Case PrEP Encounter refers to the furthest the client reached in the PrEP continuum (e.g., referral, linkage, prescription). This allows for overwriting of this date from one reporting period to the next.</p> | Num           |

| Variable Name | Variable  | Response Options   | Comments   | Variable Type |
|---------------|---|--|--|---------------|
| PrEP10        | Date clinically assessed for PrEP indication (Best Case PrEP Encounter) | MM/DD/YYYY<br>Or<br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Clinically assessed for PrEP indication refers to whether a person at substantial risk of being infected (based on a behavioral screener) is deemed clinically eligible to take PrEP. Eligibility can include: documented negative HIV test result, no signs/symptoms of acute HIV infection, normal renal function, no contraindicated medications, and documented hepatitis B virus infection and vaccination status.<br><br>Please enter the date for the Best Case PrEP Encounter. The Best Case PrEP Encounter refers to the furthest the client reached in the PrEP continuum (e.g., referral, linkage, prescription). This allows for overwriting of this date from one reporting period to the next.<br><br>Should be 01/01/1999 if PrEP9=0, 999<br>Should NOT be 01/01/1999 if PrEP9=1<br>Should be 01/01/1988 if PrEP9=888 | Num           |
| PrEP11        | Prescribed PrEP (Best Case PrEP Encounter)                              | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   | Persons are prescribed PrEP when there is evidence that the healthcare provider has written prescriptions for PrEP medication.<br><br>Please enter the response for the Best Case PrEP Encounter. The Best Case PrEP Encounter refers to the furthest the client reached in the PrEP continuum (e.g., referral, linkage, prescription). This allows for overwriting of this date from one reporting period to the next.  | Num           |

| Variable Name | Variable   | Response Options   | Comments  | Variable Type |
|---------------|--|--|---|---------------|
| PrEP12        | Date prescribed PrEP (Best Case PrEP Encounter)                  | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing  | Persons are prescribed PrEP when there is evidence that the healthcare provider has written prescriptions for PrEP medication. Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Please enter the date for the Best Case PrEP Encounter. The Best Case PrEP Encounter refers to the furthest the client reached in the PrEP continuum (e.g., referral, linkage, prescription). This allows for overwriting of this date from one reporting period to the next.<br><br>Should be 01/01/1999 if PrEP11=0,999<br>Should NOT be 01/01/1999 if Prep11=1<br>Should NOT occur before 9/30/2015 | Num           |
| PrEP13        | Date filled initial PrEP prescription (Best Case PrEP Encounter) | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Please enter the date for the Best Case PrEP Encounter. The Best Case PrEP Encounter refers to the furthest the client reached in the PrEP continuum (e.g., referral, linkage, prescription). This allows for overwriting of this date from one reporting period to the next.<br><br>Should be 01/01/1999 if PrEP11=0,999<br>Should NOT be 01/01/1999 if Prep11=1<br>Should NOT occur before 9/30/2015  | Num           |
| PrEP14        | Initiated PrEP (Best Case PrEP Encounter)                        | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   | Please enter the response for the Best Case PrEP Encounter. The Best Case PrEP Encounter refers to the furthest the client reached in the PrEP continuum (e.g., referral, linkage, prescription). This allows for overwriting of this date from one reporting period to the next.<br><br>Should be 999 if Prep11=0, 999<br>Should NOT be 999 if Prep11=1  | Num           |

| Variable Name    | Variable   | Response Options   | Comments   | Variable Type |
|------------------|--|--|--|---------------|
| PrEP15           | Date initiated PrEP (Best Case PrEP Encounter)                                     | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Please enter the date for the Best Case PrEP Encounter. The Best Case PrEP Encounter refers to the furthest the client reached in the PrEP continuum (e.g., referral, linkage, prescription). This allows for overwriting of this date from one reporting period to the next.<br><br>Should be 01/01/1999 if PrEP11=0, 999<br>Should be 01/01/1999 if PrEP 14=0,999<br>Should NOT be 01/01/1999 if PrEP11=1<br>Should NOT be 01/01/1999 if Prep14=1<br>Should be 01/01/1988 if PrEP14=888<br>Should NOT occur before 9/30/2015 | Num           |
| PrEPscreen_freq  | How many times was this client screened for PrEP?                                  | [Enter # of times]   | Please allow for this entry to be cumulative, that is, this number may increase across subsequent reporting periods.<br><br>Should be 0 if Prepscreened=0  | Num           |
| NAV_PrEPprovider | Was a navigator used to link client to a PrEP provider? (Best Case PrEP Encounter) | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing  | Please answer Yes if a navigator was used for this client <u>REGARDLESS of whether linkage actually occurred</u><br><br>Please enter the response for the Best Case PrEP Encounter. The Best Case PrEP Encounter refers to the furthest the client reached in the PrEP continuum (e.g., referral, linkage, prescription). This allows for overwriting of this date from one reporting period to the next.  | Num           |

| Variable Name | Variable  | Response Options   | Comments   | Variable Type |
|---------------|---|--|--|---------------|
| PrEPAdhSupp   | Provided PrEP adherence support intervention (Best Case PrEP Encounter) | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   | Provision of PrEP adherence support intervention can include educating clients/patients about their medications; helping them anticipate and manage side effects; helping them establish dosing routines that mesh with their work and social schedules; providing them reminder systems and tools; addressing financial, substance abuse, or mental health needs that may impede adherence; and facilitating adherence-focused social support.<br><br>Please enter the date for the Best Case PrEP Encounter. The Best Case PrEP Encounter refers to the furthest the client reached in the PrEP continuum (e.g., referral, linkage, prescription). This allows for overwriting of this date from one reporting period to the next.<br><br><b>Should be 999 if Prep11=0</b> | Num           |
| PrEPAdh1_a    | Date of 1 <sup>st</sup> follow-up clinic visit                          | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br><b>Should be 01/01/1999 if Prep11=0</b><br><b>Should NOT occur before 09/30/2015</b>   | Num           |

| Variable Name | Variable  | Response Options   | Comments   | Variable Type |
|---------------|---|--|--|---------------|
| PrEPAdh1_b    | Date of 1st PrEP prescriptions refilled             | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing                                 | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should be 01/01/1999 if Prep11=0<br>Should NOT occur before 09/30/2015   | Num           |
| PrEPAdh1_c    | Date 1st assessed for adherence to PrEP             | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing                                 | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should be 01/01/1999 if Prep11=0<br>Should NOT occur before 09/30/2015   | Num           |
| PrEPAdh1_d    | Patient adherence at 1st PrEP adherence assessment? | Patient took meds:<br>1=everyday<br>2=4 out of 7 days a week<br>3=less than 4 days a week<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | Adherence to PrEP medications is typically estimated on the basis of client self-report to questions asked during a provider visit and/or remaining pill counts.<br><br>Should be 999 if Prep11=0<br>Should NOT be 999 if Prep11=1 | Num           |

| Variable Name | Variable   | Response Options   | Comments  | Variable Type |
|---------------|--|--|---|---------------|
| PrEPAdh2_a    | Date of 2 <sup>nd</sup> follow-up clinic visit       | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br><b>Should be 01/01/1999 if Prep11=0</b> | Num           |
| PrEPAdh2_b    | Date of 2 <sup>nd</sup> PrEP prescriptions refilled  | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br><b>Should be 01/01/1999 if Prep11=0</b> | Num           |
| PrEPAdh2_c    | Date of 2 <sup>nd</sup> adherence to PrEP assessment | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br><b>Should be 01/01/1999 if Prep11=0</b> | Num           |

| Variable Name | Variable  | Response Options   | Comments  | Variable Type |
|---------------|---|--|---|---------------|
| PrEPAdh2_d    | Patient adherence at 2 <sup>nd</sup> PrEP adherence assessment? | Patient took meds:<br>1=everyday<br>2=4 out of 7 days a week<br>3=less than 4 days a week<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | Adherence to PrEP medications is typically estimated on the basis of client self-report to questions asked during a provider visit and/or remaining pill counts.<br><br>Should be 999 if Prep11=0 | Num           |
| PrEPAdh3_a    | Date of 3 <sup>rd</sup> follow-up clinic visit                  | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing                                 | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should be 01/01/1999 if Prep11=0  | Num           |
| PrEPAdh3_b    | Date of 3 <sup>rd</sup> PrEP prescriptions refilled             | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing                                 | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should be 01/01/1999 if Prep11=0  | Num           |

| Variable Name | Variable  | Response Options   | Comments  | Variable Type |
|---------------|---|--|---|---------------|
| PrEPAdh3_c    | Date of 3 <sup>rd</sup> adherence to PrEP assessment            | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing                                 | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should be 01/01/1999 if Prep11=0  | Num           |
| PrEPAdh3_d    | Patient adherence at 3 <sup>rd</sup> PrEP adherence assessment? | Patient took meds:<br>1=everyday<br>2=4 out of 7 days a week<br>3=less than 4 days a week<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | Adherence to PrEP medications is typically estimated on the basis of client self-report to questions asked during a provider visit and/or remaining pill counts.<br><br>Should be 999 if Prep11=0 | Num           |
| PrEPAdh4_a    | Date of 4 <sup>th</sup> follow-up clinic visit                  | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing                                 | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should be 01/01/1999 if Prep11=0  | Num           |

| Variable Name | Variable  | Response Options   | Comments  | Variable Type |
|---------------|---|--|---|---------------|
| PrEPAdh4_b    | Date of 4 <sup>th</sup> PrEP prescriptions refilled             | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing                                 | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should be 01/01/1999 if Prep11=0  | Num           |
| PrEPAdh4_c    | Date of 4 <sup>th</sup> adherence to PrEP assessment            | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing                                 | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should be 01/01/1999 if Prep11=0  | Num           |
| PrEPAdh4_d    | Patient adherence at 4 <sup>th</sup> PrEP adherence assessment? | Patient took meds:<br>1=everyday<br>2=4 out of 7 days a week<br>3=less than 4 days a week<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | Adherence to PrEP medications is typically estimated on the basis of client self-report to questions asked during a provider visit and/or remaining pill counts.<br><br>Should be 999 if Prep11=0 | Num           |

| Variable Name  | Variable  | Response Options   | Comments   | Variable Type |
|----------------|---|--|--|---------------|
| PrEPadhreason1 | <b>Primary</b> reason for adhering to PrEP (select one)                               | 1=I have/had a navigator to assist me<br>2=I have/had insurance<br>3=I receive/d reminder text messages<br>4=I have/had a routine schedule<br>5=Other<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888".<br><br><b>Should be 999 if Prep11=0</b>  | Num           |
| PrEPadhreason2 | Other primary reason for adhering to PrEP   | Enter description<br><br>Or<br><br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   | This is a string variable.<br><br>This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888".<br><br><b>Should be 999 if Prep11=0</b><br><b>Should NOT be 999 if PrEPadhreason1=5</b><br><b>Should be 999 if PrEPadhreason1=1,2,3,4, 999</b> | Num           |
| PrEPadhreason3 | Additional reason for adhering to PrEP:<br><b>I have/had a navigator to assist me</b> | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   | This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888".<br><br><b>Should be 999 if Prep11=0</b>  | Num           |

| Variable Name  | Variable   | Response Options   | Comments  | Variable Type |
|----------------|--|--|---|---------------|
| PrEPadhreason4 | Additional reason for adhering to PrEP:<br><b>I have/had insurance</b>               | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888".<br><br><b>Should be 999 if Prep11=0</b> | Num           |
| PrEPadhreason5 | Additional reason for adhering to PrEP:<br><b>I receive/d reminder text messages</b> | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888".<br><br><b>Should be 999 if Prep11=0</b> | Num           |
| PrEPadhreason6 | Additional reason for adhering to PrEP:<br><b>I have/had a routine schedule</b>      | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888".<br><br><b>Should be 999 if Prep11=0</b> | Num           |

| Variable Name   | Variable  | Response Options   | Comments  | Variable Type |
|---|---|--|---|---------------|
| PrEPadhreason7  | Additional reason for adhering to PrEP:<br><b>Other</b> | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing                   | This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888".<br><br><b>Should be 999 if Prep11=0</b>   | Num           |
| PrEPadhreason8  | Other additional reason for adhering to PrEP            | Enter description<br><br>Or<br><br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | This is a string variable.<br><br>This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888".<br><br><b>Should be 999 if Prep11=0</b><br><b>Should be 999 if PrEPadhreason7=0</b><br><b>Should NOT be 999 if PrEPadhreason7=1</b> | Char          |
| <b>NOTE: If there are more than 4 PrEP Prescription and Adherence Assessments for this client, please use the same variable naming convention above, starting with variable name "PREPAdh5_a", "PREPAdh6_a", etc. and report data for all 4 variables (a-d) per additional PrEP Prescription and Adherence Assessment</b> |   |  |   |               |
| PrEPstop  | Date PrEP stopped                                       | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing   | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br><b>Should be 01/01/1999 if Prep11=0</b>   | Num           |

| Variable Name | Variable   | Response Options   | Comments  | Variable Type |
|---------------|--|--|---|---------------|
| PrEPstop1     | <u>Primary</u> reason for stopping PrEP (select one)             | 1=No longer at risk<br>2=HIV positive<br>3=Side effects<br>4=Cannot afford<br>5=Lost health ins<br>6=Provider no longer available<br>7=Did not fill Rx<br>8=Cannot remember to take pills<br>9=Stigma<br>10=Other<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | Should be 999 if Prep11=0   | Num           |
| PrEPstop2     | Other <u>Primary Reason</u> for Stopping PrEP                    | Describe other <u>primary reason</u><br><br>Or<br><br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>988=We will not report this data<br>[if left blank]=Missing  | This is a string variable.<br><br>Should be 999 if Prep11=0<br>Should be 999 if PrEPStop1=1-9 or 999<br>Should NOT be 999 if PrEPStop1=10 | Char          |
| PrEPstop3     | Additional reason for stopping PrEP:<br><b>No longer at risk</b> | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   | Should be 999 if Prep11=0   | Num           |

| Variable Name | Variable   | Response Options   | Comments                  | Variable Type |
|---------------|--|--|---------------------------|---------------|
| PrEPstop4     | Additional reason for stopping PrEP:<br><b>HIV positive</b>          | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | Should be 999 if Prep11=0 | Num           |
| PrEPstop5     | Additional reason for stopping PrEP:<br><b>Side effects</b>          | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | Should be 999 if Prep11=0 | Num           |
| PrEPstop6     | Additional reason for stopping PrEP:<br><b>Cannot afford</b>         | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | Should be 999 if Prep11=0 | Num           |
| PrEPstop7     | Additional reason for stopping PrEP:<br><b>Lost health insurance</b> | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | Should be 999 if Prep11=0 | Num           |

| Variable Name | Variable   | Response Options   | Comments                  | Variable Type |
|---------------|--|--|---------------------------|---------------|
| PrEPstop8     | Additional reason for stopping PrEP:<br><b>Provider no longer available</b>  | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | Should be 999 if Prep11=0 | Num           |
| PrEPstop9     | Additional reason for stopping PrEP:<br><b>Did not fill prescriptions</b>    | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | Should be 999 if Prep11=0 | Num           |
| PrEPstop10    | Additional reason for stopping PrEP:<br><b>Cannot remember to take pills</b> | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | Should be 999 if Prep11=0 | Num           |
| PrEPstop11    | Additional reason for stopping PrEP:<br><b>Stigma</b>                        | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | Should be 999 if Prep11=0 | Num           |

| Variable Name   | Variable   | Response Options   | Comments  | Variable Type |
|---|--|--|---|---------------|
| PrEPstop12  | Additional reason for stopping PrEP:<br><b>Other</b> | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing                   | Should be 999 if Prep11=0   | Num           |
| PrEPstop13  | Other additional reason for stopping PrEP            | Enter description<br><br>Or<br><br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | This is a string variable.<br><br>Should be 999 if Prep11=0<br>Should be 999 if PrepStop12=0, 999<br>Should NOT be 999 if PrepStop12=1  | Char          |
| <b>3. Screening and Provision of nPEP Services (Cascading) (Client-level data)</b><br><i>Answer for each nPEP screening event</i> |  |  |   |               |
| nPEP1   | Screened for nPEP eligibility                        | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing  | “0” would be appropriate for any HIV negative client who was not screened for nPEP eligibility and “999” would be appropriate for all HIV positive clients<br><br>A person is considered to have been screened for nPEP if he or she has been evaluated within the collaborative (clinical or non-clinical setting) to collect behavioral risk information necessary to determine if the exposure poses a substantial risk of HIV infection and has occurred within the 72 hours of evaluation. | Num           |

| Variable Name | Variable  | Response Options   | Comments   | Variable Type |
|---------------|---|--|--|---------------|
| nPEP2         | Date screened for nPEP eligibility                | MM/DD/YYYY<br>Or<br>01/01/1996=Out of Network<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | A person is considered to have been screened for nPEP if he or she has been evaluated within the collaborative (clinical or non-clinical setting) to collect behavioral risk information necessary to determine if the exposure poses a substantial risk of HIV infection and has occurred within the 72 hours of evaluation. Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should be 01/01/1999 if nPep1=0,999<br>Should NOT be 01/01/1999 if nPep1=1<br>Should NOT occur before 09/30/2015 | Num           |
| nPEP3         | Eligible to be clinically assessed for nPEP       | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                              | Refers to whether patient is at substantial risk for HIV infection following an exposure to HIV, and that the exposure occurred within 72 hours of seeking nPEP services.  | Num           |
| nPEP4         | Referred to an internal or external nPEP provider | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                              | Referral to nPEP is the process through which providers give clients or patients information about how to access an nPEP provider for clinical assessment and nPEP services.   | Num           |

| Variable Name | Variable   | Response Options   | Comments   | Variable Type |
|---------------|--|--|--|---------------|
| nPEP5         | Date referred to an internal or external nPEP provider | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | Referral to nPEP is the process through which providers give clients or patients information about how to access an nPEP provider for clinical assessment and nPEP services. Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should be 01/01/999 if nPEP4=0,999<br>Should NOT be 01/01/1999 if nPEP4=1<br>Should NOT occur before 09/30/2015 | Num           |
| nPEP6         | Accepted nPEP referral                                 | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      | To accept an nPEP referral is to affirm receipt and/or desire to receive referral for nPEP clinical assessment (see definition of "referral").   | Num           |
| nPEP7         | Date accepted nPEP referral                            | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | To accept an nPEP referral is to affirm receipt and/or desire to receive referral for nPEP clinical assessment (see definition of "referral"). Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should be 01/01/1999 if nPEP6=0,999<br>Should NOT be 01/01/1999 if nPEP6=1<br>Should NOT occur before 09/30/2015                              | Num           |
| nPEP8         | Linked with a nPEP provider for clinical assessment    | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                   | Linked to nPEP provider for clinical assessment refers to the <u>outcome</u> of the referral or linkage of an nPEP eligible person, as indicated by the person's attendance at the first appointment (attendance of initial visit).  | Num           |

| Variable Name | Variable   | Response Options   | Comments   | Variable Type |
|---------------|--|--|--|---------------|
| nPEP9         | Date linked with a nPEP provider for clinical assessment | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing  | Linked to nPEP provider for clinical assessment refers to the <u>outcome</u> of the referral or linkage of an nPEP eligible person, as indicated by the person's attendance at the first appointment (attendance of initial visit). Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should be 01/01/1999 if nPEP8=0, 999<br>Should NOT be 01/01/1999 if nPEP8=1<br>Should NOT occur before 09/30/2015  | Num           |
| nPEP10        | Clinically assessed for nPEP indication                  | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   | Clinical assessment for nPEP indication refers to a person at substantial risk of being infected (based on a behavioral screener) who is tested for HIV using a 4 <sup>th</sup> generation combined antibody/antigen test (most likely in a clinical setting).   | Num           |
| nPEP11        | Date clinically assessed for nPEP indication             | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Clinical assessment for nPEP indication refers to a person at substantial risk of being infected (based on a behavioral screener) who is tested for HIV using a 4 <sup>th</sup> generation combined antibody/antigen test (most likely in a clinical setting). Date supplied here should NOT precede the start of this project, 09/30/2015<br><br>Should be 01/01/1999 if nPEP10=0,999<br>Should NOT be 01/01/1999 if nPEP10=1<br>Should be 01/01/1988 if nPEP10=888<br>Should NOT occur before 09/30/2015 | Num           |

| Variable Name | Variable                      | Response Options   | Comments  | Variable Type |
|---------------|-------------------------------|--|---|---------------|
| nPEP12        | Prescribed nPEP               | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   | Clients who were behaviorally and clinically assessed as eligible and prescribed nPEP medications.  | Num           |
| nPEP13        | Date prescribed nPEP          | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing  | Clients who were behaviorally and clinically assessed as eligible and prescribed nPEP medications. Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should be 01/01/1999 if nPEP12=0,999<br>Should NOT be 01/01/1999 if nPEP12=1<br>Should NOT occur before 09/30/2015 | Num           |
| nPEP14        | Date filled nPEP prescription | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015<br><br>Should be 01/01/1999 if nPEP12=0,999<br>Should NOT be 01/01/1999 if nPEP12=1<br>Should NOT occur before 09/30/2015   | Num           |
| nPEP15        | Initiated nPEP                | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   | Should be 01/01/1999 if nPEP12=0,999<br>Should NOT be 999 if nPEP12=1   | Num           |

| Variable Name    | Variable   | Response Options   | Comments  | Variable Type |
|------------------|--|--|---|---------------|
| nPEP16           | Date initiated nPEP  | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015<br><br>Should be 01/01/1999 if nPEP12=0,999<br>Should be 01/01/1999 if nPEP15=0,999<br>Should NOT be 01/01/1999 if nPEP12=1<br>Should NOT be 01/01/1999 if nPEP15=1<br>Should be 01/01/1988 if nPEP15=888<br>Should NOT occur before 09/30/2015   | Num           |
| nPEP17           | Provided nPEP adherence support intervention                                     | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   | An nPEP adherence support intervention is any intervention that is client-centered and provides support and assistance persons who are taking nPEP. Persons on nPEP are considered to have been provided adherence support intervention if they received counseling or supportive interventions that include educating them about their medications; helping them anticipate and manage side effects; helping them establish dosing routines that mesh with their work and social schedules; providing them reminder systems and tools; addressing financial, substance abuse, or mental health needs that may impede adherence; and facilitating adherence-focused social support.<br><br>Should be 999 if nPEP12=0,999<br>Should NOT be 999 if nPEP12=1 | Num           |
| NAV_nPEPprovider | Was a navigator used to link client to an nPEP provider for clinical assessment? | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing  | Please answer Yes if a navigator was used for this client <b>REGARDLESS of whether linkage actually occurred</b>  | Num           |

| Variable Name | Variable  | Response Options   | Comments   | Variable Type |
|---------------|---|--|--|---------------|
| nPEPvisit1    | Date of 1 <sup>st</sup> clinic visit during the 28-day course | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015<br><br>Should be 01/01/1999 if nPEP12=0,999<br>Should NOT be 01/01/1999 if nPEP12=1<br>Should NOT occur before 09/30/2015  | Num           |
| nPEPvisit2    | Date of 2 <sup>nd</sup> clinic visit during the 28-day course | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015<br><br>Should be 01/01/1999 if nPEP12=0,999<br>Should NOT be 01/01/1999 if nPEP12=1<br>Should NOT occur before 09/30/2015<br>Should NOT occur before nPEPEVisit1 date  | Num           |
| nPEPvisit3    | Date of 3 <sup>rd</sup> clinic visit during the 28-day course | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015<br><br>Should be 01/01/1999 if nPEP12=0,999<br>Should NOT be 01/01/1999 if nPEP12=1<br>Should NOT occur before 09/30/2015<br>Should NOT occur before nPEPEVisit1 date<br>Should NOT occur before nPEPVisit2 date | Num           |

| Variable Name   | Variable  | Response Options   | Comments  | Variable Type |
|---|---|--|---|---------------|
| nPEPvisit4  | Date of 4 <sup>th</sup> clinic visit during the 28-day course | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015<br><br>Should be 01/01/1999 if nPEP12=0,999<br>Should NOT be 01/01/1999 if nPEP12=1<br>Should NOT occur before 09/30/2015<br>Should NOT occur before nPEPEVisit1 date<br>Should NOT occur before nPEPVisit2 date<br>Should NOT occur before nPEPVisit3 date | Num           |
| NOTE: If there are more than 4 nPEP clinic visits for this client, please use the same variable naming convention above, starting with variable name "nPEPvisit5", "nPEPvisit6", etc. |   |  |   |               |
| nPEP18  | Date of clinic visit <u>after</u> the 28-day course           | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015<br><br>Should be 01/01/1999 if nPEP12=0,999<br>Should NOT occur before 09/30/2015   | Num           |
| nPEP19  | nPEP client lost to follow-up                                 | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   | Should be 999 if nPEPE12=0,999  | Num           |

| Variable Name | Variable   | Response Options   | Comments   | Variable Type |
|---------------|--|--|--|---------------|
| nPEP20        | Number of days <u>missed</u> of 28-day nPEP course       | Enter #<br><br>Or<br><br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing                                     | Adherence to nPEP medications is typically estimated on the basis of questions at the 28-day follow-up visit and remaining pill counts. A client is considered nPEP fully adherent if they took all 28 dosages of nPEP.<br><br>Can range from 0-28<br><br>Leave this field blank if client is lost to follow-up, including clients who attended one or more clinic visits but (1) did not attend a clinic visit after the 28-day course or (2) for whom you have incomplete information about # of days adherent to nPEP<br><br>Should be 999 if nPEP12=0,999<br>Should NOT be 999 if nPEP12=1 | Num           |
| nPEPstop      | Date nPEP stopped (i.e., did not complete 28 day course) | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015<br><br>Should be 01/01/1999 if nPEP12=0,999<br>Should NOT occur before 09/30/2015  | Num           |

| Variable Name | Variable   | Response Options   | Comments  | Variable Type |
|---------------|--|--|---|---------------|
| nPEPstop1     | <u>Primary reason</u> for stopping nPEP (select one)             | 1=No longer at risk<br>2=HIV positive<br>3=Side effects<br>4=Cannot afford<br>5=Lost health ins<br>6=Provider no longer available<br>7=Did not fill Rx<br>8=Cannot remember to take pills<br>9=Stigma<br>10=Other<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing |   | Num           |
| nPEPstop2     | Other <u>Primary Reason</u> for Stopping nPEP                    | Describe other <u>primary reason</u><br><br>Or<br><br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing  | This is a string variable.<br><br>Should be 999 if nPepSTOP1=1-9<br>Should NOT be 999 if nPEPStop1=10<br>Should be 888 if nPepSTOP1=888 | Char          |
| nPEPstop3     | Additional reason for stopping nPEP:<br><b>No longer at risk</b> | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   |   | Num           |

| Variable Name | Variable   | Response Options   | Comments | Variable Type |
|---------------|--|--|----------|---------------|
| nPEPstop4     | Additional reason for stopping nPEP:<br><b>HIV positive</b>          | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing |          | Num           |
| nPEPstop5     | Additional reason for stopping nPEP:<br><b>Side effects</b>          | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing |          | Num           |
| nPEPstop6     | Additional reason for stopping nPEP:<br><b>Cannot afford</b>         | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing |          | Num           |
| nPEPstop7     | Additional reason for stopping nPEP:<br><b>Lost health insurance</b> | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing |          | Num           |

| Variable Name | Variable   | Response Options   | Comments | Variable Type |
|---------------|--|--|----------|---------------|
| nPEPstop8     | Additional reason for stopping nPEP:<br><b>Provider no longer available</b>  | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing |          | Num           |
| nPEPstop9     | Additional reason for stopping nPEP:<br><b>Did not fill prescriptions</b>    | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing |          | Num           |
| nPEPstop10    | Additional reason for stopping nPEP:<br><b>Cannot remember to take pills</b> | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing |          | Num           |
| nPEPstop11    | Additional reason for stopping nPEP:<br><b>Stigma</b>                        | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing |          | Num           |

| Variable Name   | Variable  | Response Options   | Comments   | Variable Type |
|---|---|--|--|---------------|
| nPEPstop12  | Additional reason for stopping nPEP:<br><b>Other</b>                | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing                   |  | Num           |
| nPEPstop13  | Other additional reason for stopping nPEP                           | Enter description<br><br>Or<br><br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing | This is a string variable.<br><br>Should be 999 if nPEPstop12=0, 999<br>Should NOT be 999 if nPEPstop12=1<br>Should be 888 if nPEPstop12=888   | Char          |
| <b>D. Services for HIV-Positive Persons</b>   |   |  |  |               |
| <b>4. Linkage to Care, Provision of ARVs, HIV viral load and CD4 testing for Persons with Newly Diagnosed (Acute , Recent or Established HIV infection)</b> |   |  |  |               |
| Linkcare_yn   | Was this client linked to care (attended an HIV medical care visit) | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   | Linkage to Care refers to the outcome that results from referral or linkage of a patient to care, as indicated by the patient's attendance at the first HIV care appointment. A person is considered to be linked to HIV medical care if there is $\geq 1$ CD4 or viral load test results. | Num           |

| Variable Name | Variable   | Response Options   | Comments   | Variable Type |
|---------------|--|--|--|---------------|
| NAV_linkcare  | Was a navigator used to link client to HIV medical care?                 | 0=No<br>1=Yes<br>996=Out of Network<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing  | Please answer Yes if a navigator was used for this client <u>REGARDLESS of whether linkage actually occurred</u>   | Num           |
| Linkcare_date | Date linked to care (attended an HIV medical care visit)                 | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing  | Linkage to Care refers to the outcome that results from referral or linkage of a patient to care, as indicated by the patient's attendance at the first HIV care appointment. Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>A person is considered to be linked to HIV medical care if there is $\geq 1$ CD4 or viral load test results.<br><br>Should be 01/01/1999 if Linkcare_yn=0,999<br>Should NOT be 01/01/1999 if Linkcare_yn=1<br>Should NOT occur before 09/30/2015 | Num           |
| SameDayART    | Was this client offered Same Day ART at the time of their HIV diagnosis? | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network at time of diagnosis<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank]=Missing | This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888".  | Num           |

| Variable Name    | Variable   | Response Options   | Comments  | Variable Type |
|------------------|--|--|---|---------------|
| SameDayARTaccept | If offered Same Day ART at the time of their diagnosis, did the client accept ART? | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network at time of diagnosis<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank]=Missing | This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888".<br><br>Should be 999 if SameDayART=0,999<br>Should NOT be 999 if SameDayART=1<br>Should be 888 if SameDayART=888<br>Should be 995 if SameDayART=995 | Num           |
| ARVRx            | Date prescribed ARVs   | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing  | Please enter the actual date the client was prescribed ARVs, even if it occurred before THRIVE (before 9/30/15).<br><br>If the pre-THRIVE date is not known, please enter 01/01/1997=Don't know/lost to follow-up.<br><br>If client has never been prescribed ARVs, please enter 01/01/1999=Not applicable.   | Num           |
| ARVinitiated     | Date initiated ARVs  | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing                           | Please enter the actual date the client was prescribed ARVs, even if it occurred before THRIVE (before 9/30/15).<br><br>If the pre-THRIVE date is not known, please enter 01/01/1997=Don't know/lost to follow-up.<br><br>If client has never been prescribed ARVs, please enter 01/01/1999=Not applicable.<br><br>Should ONLY be 01/01/1999 if ARVRx = 01/01/1999          | Num           |

| Variable Name | Variable  | Response Options   | Comments   | Variable Type |
|---------------|---|--|--|---------------|
| ViralEntry_a  | Date of HIV viral load test performed at entry into care              | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | If the date is not known, please enter 01/01/1997=Don't know/lost to follow-up.<br><br>If client's VL has never been measured, please enter 01/01/1999=Not applicable.   | Num           |
| ViralEntry_b  | HIV viral load at entry into care                                     | Enter HIV viral load<br><br>or<br><br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing                        | This is a string variable<br><br>Please enter value exactly as reported from laboratory, including numbers and symbols if necessary (e.g. <20).<br><br>Should ONLY be 999 if ViralEntry_a=999                      | Char          |
| Viral1_a      | Date of 1 <sup>st</sup> HIV viral load test performed during HIV care | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing  | If the date is not known, please enter 01/01/1997=Don't know/lost to follow-up.<br><br>If client's VL has never been measured, please enter 01/01/1999=Not applicable.<br><br>Should occur after ViralEntry_a date | Num           |

| Variable Name   | Variable  | Response Options  | Comments   | Variable Type |
|---|---|---|--|---------------|
| Viral1_b  | 1 <sup>st</sup> HIV viral load result during HIV care                 | Enter HIV viral load<br><br>Or<br><br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                 | This is a string variable<br><br>Please enter value exactly as reported from laboratory, including numbers and symbols if necessary (e.g. <20).<br><br>Should ONLY be 999 if Viral1_a=01/01/1999   | Char          |
| Viral2_a  | Date of 2 <sup>nd</sup> HIV viral load test performed during HIV care | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | If the date is not known, please enter 01/01/1997=Don't know/lost to follow-up.<br><br>If client's VL has never been measured, please enter 01/01/1999=Not applicable.<br><br>Should occur after ViralEntry_a date<br>Should occur after Viral1_a date | Num           |
| Viral2_b  | 2 <sup>nd</sup> HIV viral load result during HIV care                 | Enter HIV viral load<br><br>Or<br><br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                 | This is a string variable<br><br>Please enter value exactly as reported from laboratory, including numbers and symbols if necessary (e.g. <20).<br><br>Should ONLY be 999 if Viral2_a=01/01/1999   | Char          |
| NOTE: If there are more than 2 HIV Viral Loads + entry VL measured for this client, please use the same variable naming convention above, starting with variable name "Viral3_a", "Viral4_a", etc. and report data for date of viral load (a) and # of viral load (b) per additional HIV Viral Load performed |   |   |  |               |

| Variable Name | Variable  | Response Options   | Comments   | Variable Type |
|---------------|---|--|--|---------------|
| CD4Entry_a    | Date of CD4 count performed at entry into care  | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | If the date is not known, please enter 01/01/1997=Don't know/lost to follow-up.<br><br>If client's CD4 count has never been measured, please enter 01/01/1999=Not applicable.  | Num           |
| CD4Entry_b    | CD4 count at entry into care  | Enter CD4 count<br><br>Or<br><br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing                             | This is a string variable<br><br>Please enter value exactly as reported from laboratory, including numbers and symbols if necessary (e.g. <20).<br><br>Should ONLY be 999 if CD4Entry_a=01/01/1999   | Char          |
| CD4acute1_a   | <u>Date of 1<sup>st</sup> CD4 count performed during HIV care (for person with acute HIV infection)</u> | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | If the date is not known, please enter 01/01/1997=Don't know/lost to follow-up.<br><br>If client's CD4 count has never been measured, please enter 01/01/1999=Not applicable.<br><br>Should be 01/01/1999 if prevdiag_yn=1,2,3<br>Should occur after CD4Entry_a date value | Num           |

| Variable Name   | Variable   | Response Options   | Comments  | Variable Type |
|---|--|--|---|---------------|
| CD4acute1_b   | <u>1<sup>st</sup> CD4 count</u><br>performed during HIV care (for person with acute HIV infection)         | Enter CD4 count<br><br>Or<br><br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing                             | This is a string variable<br><br>Please enter value exactly as reported from laboratory, including numbers and symbols if necessary (e.g. <20).<br><br>Should ONLY be 999 if<br>CD4acute1_a=01/01/1999  | Char          |
| CD4acute2_a   | <u>Date of 2<sup>nd</sup> CD4 count</u><br>performed during HIV care (for person with acute HIV infection) | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | If the date is not known, please enter<br>01/01/1997=Don't know/lost to follow-up.<br><br>If client's CD4 count has never been measured, please enter 01/01/1999=Not applicable.<br><br>Should be 01/01/1999 if prevdiag_yn=1,2,3<br>Should NOT occur before CD4acute1_a date | Num           |
| CD4acute2_b   | <u>2<sup>nd</sup> CD4 count</u><br>performed during HIV care (for person with acute HIV infection)         | Enter CD4 count<br><br>Or<br><br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing                             | This is a string variable<br><br>Please enter value exactly as reported from laboratory, including numbers and symbols if necessary (e.g. <20).<br><br>Should be 999 if HIVStatus=0<br>Should be 999 if CD4acute2_a = 01/01/1999  | Char          |
| NOTE: If there are more than 2 CD4 counts + entry CD4 count measured for this client with acute HIV infection, please use the same variable naming convention above, starting with variable name "CD4acute3_a", "CD4acute4_a", etc. and report data for date of CD4 count (a) and # of CD4 count (b) per additional CD4 count performed |  |  |   |               |

| Variable Name   | Variable   | Response Options   | Comments  | Variable Type |
|---|--|--|---|---------------|
| 5. Linkage or Re-engagement with Care, Provision of ARVs, HIV viral load and CD4 testing for Previously Diagnosed Persons (Client-level data) |  |  |   |               |
| type_prevdiag   | How was the <u>previously diagnosed</u> client identified and determined to be out of care?  | <p>0=Client determined to be IN care<br/> 1=Client identified through testing, determined to be OUT of care<br/> 2=Client identified through Data-to-Care activities and determined to be OUT of care after being contacted by program staff<br/> 3=Client identified via some other mechanism and determined to be OUT of care</p> <p>996=Out of Network/Anonymous Screener<br/> 997=Don't know/lost to follow-up<br/> 998=Refused to answer<br/> 999=Not applicable<br/> [if left blank] = Missing</p> | Should be 999 if prevdiag_yn=0  | Num           |
| Date_prevdiagReached  | <p>On what date was client identified as being a previously diagnosed HIV positive person out of care:</p> <p>(1) via HIV testing?<br/> <u>(enter test date)</u><br/> or</p> <p>(2) via Data-to-Care activities and contacted by program staff?<br/> <u>(enter contact date)</u><br/> or</p> <p>(3) via some other means and contacted for linkage or reengagement?<br/> <u>(enter contact date)</u></p> | <p>MM/DD/YYYY</p> <p>Or</p> <p>01/01/1995=This variable was not included at the time client was enrolled<br/> 01/01/1996=Out of Network/Anonymous Screener<br/> 01/01/1997=Don't know/lost to follow-up<br/> 01/01/1998=Refused to answer<br/> 01/01/1999=Not applicable<br/> [if left blank]=Missing</p>  | <p>Valid dates would be during the THRIVE project period, which started 09/30/2015.</p> <p>This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "01/01/1995".</p> <p>Should be 01/01/1999 if prevdiag_yn=0<br/> Should be 01/01/1999 if type_prevdiag=999<br/> Should NOT occur before 09/30/2015</p> | Num           |

| Variable Name     | Variable   | Response Options   | Comments   | Variable Type |
|-------------------|--|--|--|---------------|
| reengagecare_yn   | Was this client reengaged into care (attended an HIV medical care visit)           | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing | <p><b>NOTE:</b> For persons previously diagnosed but never out of care, please code this variable, and all other variables inquiring about re-engagement, as "999=Not applicable".</p> <p>Not-in-care, HIV-diagnosed persons, who were previously linked to care (i.e., attended at least one HIV medical care visit after HIV diagnosis) are said to be <u>re-engaged</u> in care if they have evidence of one or more medical visits in the last 12 months of the measurement period following an initial 6-month gap in care.</p> <p>Should be 999 if prevdiag_yn=0<br/>Should be 999 if Type_prevdiag=0<br/>Should NOT be 999 if Type_Prevdiag=1,2,3</p>                                       | Num           |
| NAV_care_prevdiag | Was a navigator used to re-engage previously diagnosed client to HIV medical care? | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing | <p><b>NOTE:</b> For persons previously diagnosed but never out of care, please code this variable, and all other variables inquiring about re-engagement, as "999=Not applicable".</p> <p>Please answer Yes if a navigator was used for this client <u>REGARDLESS of whether linkage actually occurred</u></p> <p>Not-in-care, HIV-diagnosed persons, who were previously linked to care (i.e., attended at least one HIV medical care visit after HIV diagnosis) are said to be <u>re-engaged</u> in care if they have evidence of one or more medical visits in the last 12 months of the measurement period following an initial 6-month gap in care.</p> <p>Should be 999 if prevdiag_yn=0</p> | Num           |

| Variable Name  | Variable  | Response Options  | Comments   | Variable Type |
|----------------|---|---|--|---------------|
| care_prevdiag1 | <u>Date linked to or re-engaged with care</u> if previously diagnosed with HIV infection and determined to not be in care | MM/DD/YYYY<br><br>Or<br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | <b>NOTE:</b> For persons previously diagnosed but never out of care, please code this variable, and all other variables inquiring about re-engagement, as "999=Not applicable".<br><br>Not-in-care, HIV-diagnosed persons, who were previously linked to care (i.e., attended at least one HIV medical care visit after HIV diagnosis) are said to be <u>re-engaged</u> in care if they have evidence of one or more medical visits in the last 12 months of the measurement period following an initial 6-month gap in care.<br><br>Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should be 01/01/1999 if prevdiag_yn=0<br>Should NOT occur before 09/30/2015 | Num           |
| care_prevdiag2 | <u>Date prescribed ARVs</u> if previously diagnosed with HIV infection  | MM/DD/YYYY<br><br>Or<br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | Please enter the actual date the client was prescribed ARVs, even if it occurred before THRIVE (before 9/30/15).<br><br>If the pre-THRIVE date is not known, please enter 01/01/1997=Don't know/lost to follow-up.<br><br>If the client has never been prescribed ARVs, please enter 01/01/1999=Not applicable.<br><br>Should be 01/01/1999 if prevdiag_yn=0   | Num           |

| Variable Name    | Variable   | Response Options  | Comments   | Variable Type |
|------------------|--|---|--|---------------|
| care_prevdiag3   | Date initiated ARVs if previously diagnosed with HIV infection   | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data [if left blank]=Missing | Please enter the actual date the client initiated ARVs, even if it occurred before THRIVE (before 9/30/15).<br><br>If the pre-THRIVE date is not known, please enter 01/01/1997=Don't know/lost to follow-up.<br><br>If the client has never initiated ARVs, please enter 01/01/1999=Not applicable.<br><br>Should be 01/01/1999 if prevdiag_yn=0<br>Should be 01/01/1999 if care_prevdiag2=01/01/1999<br>Should NOT occur before Care_prevdiag2 date  | Num           |
| Viralprevdiag1_a | <u>Date of 1<sup>st</sup> HIV viral load test performed after linkage or re-engagement if previously diagnosed with HIV infection</u><br><br>OR<br><br><u>Date of 1<sup>st</sup> HIV viral load test performed after becoming a THRIVE client if previously diagnosed with HIV infection</u> | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing   | Not-in-care, HIV-diagnosed persons, who were previously linked to care (i.e., attended at least one HIV medical care visit after HIV diagnosis) are said to be <u>re-engaged</u> in care if they have evidence of one or more medical visits in the last 12 months of the measurement period following an initial 6-month gap in care.<br><br>Please enter the actual date the client's VL was measured and provide the last 3 viral loads collected <u>prior</u> to THRIVE enrollment. All VL data collected <u>during</u> the THRIVE project should also be reported.<br><br>If the date is not known, please enter 01/01/1997=Don't know/lost to follow-up.<br><br>If client's VL has never been measured, please enter 01/01/1999=Not applicable.<br><br>Should be 01/01/1999 if prevdiag_yn=0 | Num           |

| Variable Name    | Variable  | Response Options   | Comments  | Variable Type |
|------------------|---|--|---|---------------|
| Viralprevdiag1_b | <p><u>1<sup>st</sup> HIV viral load result</u> (after linkage or re-engagement if previously diagnosed with HIV infection)</p> <p>OR</p> <p><u>1<sup>st</sup> HIV viral load result</u> performed after becoming a THRIVE client if previously diagnosed with HIV infection</p>                     | <p>Enter HIV viral load</p> <p>Or</p> <p>996=Out of Network/Anonymous Screener<br/>997=Don't know/lost to follow-up<br/>998=Refused to answer<br/>999=Not applicable<br/>[if left blank] = Missing</p>                 | <p>This is a string variable</p> <p>Please enter value exactly as reported from laboratory, including numbers and symbols if necessary (e.g. &lt;20).</p> <p>Not-in-care, HIV-diagnosed persons, who were previously linked to care (i.e., attended at least one HIV medical care visit after HIV diagnosis) are said to be <u>re-engaged</u> in care if they have evidence of one or more medical visits in the last 12 months of the measurement period following an initial 6-month gap in care.</p> <p>Should be 999 if prevdiag_yn=0<br/>Should be 999 if viralprevdiag1_a=01/01/1999</p>  | Char          |
| Viralprevdiag2_a | <p><u>Date of 2<sup>nd</sup> HIV viral load test</u> performed after linkage or re-engagement if previously diagnosed with HIV infection</p> <p>OR</p> <p><u>Date of 2<sup>nd</sup> HIV viral load test</u> performed after becoming a THRIVE client if previously diagnosed with HIV infection</p> | <p>MM/DD/YYYY</p> <p>Or</p> <p>01/01/1996=Out of Network/Anonymous Screener<br/>01/01/1997=Don't know/lost to follow-up<br/>01/01/1998=Refused to answer<br/>01/01/1999=Not applicable<br/>[if left blank]=Missing</p> | <p>Not-in-care, HIV-diagnosed persons, who were previously linked to care (i.e., attended at least one HIV medical care visit after HIV diagnosis) are said to be <u>re-engaged</u> in care if they have evidence of one or more medical visits in the last 12 months of the measurement period following an initial 6-month gap in care.</p> <p>Please enter the actual date the client's VL was measured and provide the lasst 3 viral loads collected <u>prior</u> to THRIVE enrollment. All VL data collected <u>during</u> the THRIVE project should also be reported.</p> <p>If the date is not known, please enter 01/01/1997=Don't know/lost to follow-up.</p> <p>If client's VL has never been measured, please enter 01/01/1999=Not applicable.</p> <p>Should be 01/01/1999 if prevdiag_yn=0<br/>Should NOT occur before ViralPrevdiag1_a</p> | Num           |

| Variable Name   | Variable   | Response Options   | Comments   | Variable Type |
|---|--|--|--|---------------|
| Viralprevdiag2_b  | <p><u>2<sup>nd</sup> HIV viral load result</u><br/>(after linkage or re-engagement if previously diagnosed with HIV infection</p> <p style="text-align: center;">OR</p> <p><u>2<sup>nd</sup> HIV viral load result</u><br/>performed after becoming a THRIVE client if previously diagnosed with HIV infection</p> | <p>Enter HIV viral load</p> <p>Or</p> <p>996=Out of Network/Anonymous Screener<br/>997=Don't know/lost to follow-up<br/>998=Refused to answer<br/>999=Not applicable<br/>[if left blank] = Missing</p> | <p>This is a string variable</p> <p>Please enter value exactly as reported from laboratory, including numbers and symbols if necessary (e.g. &lt;20).</p> <p>Not-in-care, HIV-diagnosed persons, who were previously linked to care (i.e., attended at least one HIV medical care visit after HIV diagnosis) are said to be <u>re-engaged</u> in care if they have evidence of one or more medical visits in the last 12 months of the measurement period following an initial 6-month gap in care.</p> <p>Should be 999 if prevdiag_yn=0<br/>Should be 999 if viralprevdiag2_a=01/01/1999</p> | Char          |
| <p>NOTE: If there are more than 2 HIV viral loads performed for this client with a previously diagnosed HIV infection, please use the same variable naming convention above, starting with variable name "Viralprevdiag3_a", "Viralprevdiag4_a", etc. and report data for date of Viral Load (a) and # of Viral Load (b) per additional Viral Loads performed</p> |  |  |  |               |

| Variable Name  | Variable  | Response Options  | Comments   | Variable Type |
|----------------|---|---|--|---------------|
| CD4prevdiag1_a | <p><u>Date of 1<sup>st</sup> CD4 count performed after linkage or re-engagement if previously diagnosed with HIV infection</u><br/>OR<br/><u>Date of 1<sup>st</sup> CD4 count performed after becoming a THRIVE client if previously diagnosed with HIV infection</u></p> | <p><i>MM/DD/YYYY</i></p> <p>Or</p> <p>01/01/1996=Out of Network/Anonymous Screener<br/>01/01/1997=Don't know/lost to follow-up<br/>01/01/1998=Refused to answer<br/>01/01/1999=Not applicable<br/>01/01/1988=We will not report this data<br/>[if left blank]=Missing</p> | <p>Not-in-care, HIV-diagnosed persons, who were previously linked to care (i.e., attended at least one HIV medical care visit after HIV diagnosis) are said to be <u>re-engaged</u> in care if they have evidence of one or more medical visits in the last 12 months of the measurement period following an initial 6-month gap in care.</p> <p>Please enter the actual date the client's CD4 count was measured and provide the last 3 CD4 counts collected <u>prior</u> to THRIVE enrollment. All CD4 count data collected <u>during</u> the THRIVE project should also be reported.</p> <p>If the date is not known, please enter 01/01/1997=Don't know/lost to follow-up.</p> <p>If client's CD4 count has never been measured, please enter 01/01/1999=Not applicable.</p> <p>Should be 01/01/1999 if prevdiag_yn=0;</p> | Num           |
| CD4prevdiag1_b | <p><u>1<sup>st</sup> CD4 count (after linkage or re-engagement if previously diagnosed with HIV infection</u><br/>OR<br/><u>1<sup>st</sup> CD4 count after becoming a THRIVE client if previously diagnosed with HIV infection</u></p>                                    | <p>Enter CD4 count</p> <p>Or</p> <p>996=Out of Network/Anonymous Screener<br/>997=Don't know/lost to follow-up<br/>998=Refused to answer<br/>999=Not applicable<br/>888=We will not report this data<br/>[if left blank] = Missing</p>                                    | <p>This is a string variable</p> <p>Please enter value exactly as reported from laboratory, including numbers and symbols if necessary (e.g. &lt;20).</p> <p>Not-in-care, HIV-diagnosed persons, who were previously linked to care (i.e., attended at least one HIV medical care visit after HIV diagnosis) are said to be <u>re-engaged</u> in care if they have evidence of one or more medical visits in the last 12 months of the measurement period following an initial 6-month gap in care.</p> <p>Should be 999 if prevdiag_yn=0<br/>Should be 999 if cd4prevdiag1_a=01/01/1999</p>   | Char          |

| Variable Name  | Variable   | Response Options  | Comments  | Variable Type |
|----------------|--|---|---|---------------|
| CD4prevdiag2_a | <p><u>Date of 2<sup>nd</sup> CD4 count performed after linkage or re-engagement if previously diagnosed with HIV infection</u><br/>OR</p> <p><u>Date of 2<sup>nd</sup> CD4 count performed after becoming a THRIVE client if previously diagnosed with HIV infection</u></p> | <p><i>MM/DD/YYYY</i></p> <p>Or</p> <p>01/01/1996=Out of Network/Anonymous Screener<br/>01/01/1997=Don't know/lost to follow-up<br/>01/01/1998=Refused to answer<br/>01/01/1999=Not applicable<br/>01/01/1988=We will not report this data<br/>[if left blank]=Missing</p> | <p>Not-in-care, HIV-diagnosed persons, who were previously linked to care (i.e., attended at least one HIV medical care visit after HIV diagnosis) are said to be <u>re-engaged</u> in care if they have evidence of one or more medical visits in the last 12 months of the measurement period following an initial 6-month gap in care.</p> <p>Please enter the actual date the client's CD4 count was measured and provide the last 3 CD4 counts collected <u>prior</u> to THRIVE enrollment. All CD4 count data collected <u>during</u> the THRIVE project should also be reported.</p> <p>If the date is not known, please enter 01/01/1997=Don't know/lost to follow-up.</p> <p>If client's CD4 count has never been measured, please enter 01/01/1999=Not applicable.</p> <p>Should be 01/01/1999 if prevdiag_yn=0<br/>Should NOT occur before CD4PrevDiag1_a date</p> | Num           |
| CD4prevdiag2_b | <p><u>2<sup>nd</sup> CD4 count (after linkage or re-engagement if previously diagnosed with HIV infection)</u><br/>OR</p> <p><u>2<sup>nd</sup> CD4 count after becoming a THRIVE client if previously diagnosed with HIV infection</u></p>                                   | <p>Enter CD4 count</p> <p>Or</p> <p>996=Out of Network/Anonymous Screener<br/>997=Don't know/lost to follow-up<br/>998=Refused to answer<br/>999=Not applicable<br/>888=We will not report this data<br/>[if left blank] = Missing</p>                                    | <p>This is a string variable</p> <p>Please enter value exactly as reported from laboratory, including numbers and symbols if necessary (e.g. &lt;20).</p> <p>Not-in-care, HIV-diagnosed persons, who were previously linked to care (i.e., attended at least one HIV medical care visit after HIV diagnosis) are said to be <u>re-engaged</u> in care if they have evidence of one or more medical visits in the last 12 months of the measurement period following an initial 6-month gap in care.</p> <p>Should be 999 if prevdiag_yn=0<br/>Should be 999 if cd4prevdiag2_a=01/01/1999</p>  | Char          |

| Variable Name  | Variable   | Response Options   | Comments   | Variable Type |
|--|--|--|--|---------------|
| NOTE: If there are more than 2 CD4 counts performed for this not-in-care client, please use the same variable naming convention above, starting with variable name "CD4prevdiag3_a", etc. and report data for date of CD4 count (a) and # of CD4 count (b) per additional CD4 counts performed |  |  |  |               |
| 6. ART Adherence Support Services (Client-level data)  |  |  |  |               |
| NAV_ARTadhere  | Was a navigator used to link client to a medication adherence support intervention?  | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   | Please answer Yes if a navigator was used for this client <u>REGARDLESS</u> of whether linkage <u>actually occurred</u><br><br>Medication adherence support services may involve any of the following elements: an educational/behavioral/motivational component, personal adherence counseling, skills-building, tools for better medication management and ongoing support, and/or treatment delivery methods or monitoring devices to facilitate adherence. | Num           |
| linkedtoMedAdhSupp_yn  | Was this client linked to a medication adherence support intervention (attended a medication adherence intervention session/visit) | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data[if left blank] [if left blank] = Missing                                 | Medication adherence support services may involve any of the following elements: an educational/behavioral/motivational component, personal adherence counseling, skills-building, tools for better medication management and ongoing support, and/or treatment delivery methods or monitoring devices to facilitate adherence.  | Num           |
| ARTadhere1   | 1 <sup>st</sup> Date received medication adherence support intervention  | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should be 01/01/1999 if linkedtomedadhsupp_yn = 0, 999<br><br>Should NOT occur before 09/30/2015   | Num           |

| Variable Name  | Variable  | Response Options   | Comments  | Variable Type |
|--|---|--|---|---------------|
| ARTadhere2   | 2 <sup>nd</sup> Date received medication adherence support intervention | MM/DD/YYYY<br>Or<br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should be 01/01/1999 if linkedtomedadhsupp_yn= 0, 999<br><br>Should NOT occur before 09/30/2015<br>Should NOT occur before ARTadhere1 date  | Num           |
| ARTadhere3   | 3 <sup>rd</sup> Date received medication adherence support intervention | MM/DD/YYYY<br>Or<br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should be 01/01/1999 if linkedtomedadhsupp_yn = 0, 999<br><br>Should NOT occur before 09/30/2015<br>Should NOT occur before ARTadhere1 date<br>Should NOT occur before ARTadhere2 date  | Num           |
| ARTadhere4   | 4 <sup>th</sup> Date received medication adherence support intervention | MM/DD/YYYY<br>Or<br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should be 01/01/1999 if linkedtomedadhsupp_yn = 0, 999<br><br>Should NOT occur before 09/30/2015<br>Should NOT occur before ARTadhere1 date<br>Should NOT occur before ARTadhere2 date<br>Should NOT occur before ARTadhere3 date | Num           |
| NOTE: If client received more than 4 Medication Adherence Support Intervention contacts, please use the same variable naming convention above, starting with variable name "ARTadhere5", "ARTadhere6", etc. and report date of each additional Medication Adherence Support Intervention contact client received |   |  |   |               |

| Variable Name         | Variable  | Response Options   | Comments  | Variable Type |
|-----------------------|---|--|---|---------------|
| FinanIncent_linkage   | Was this client offered Financial Incentives for <u>linkage to care</u> ?     | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network at time of diagnosis<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank]=Missing | This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888". | Num           |
| FinanIncent_reengage  | Was this client offered Financial Incentives for <u>re-engaging in care</u> ? | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network at time of diagnosis<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank]=Missing | This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888". | Num           |
| FinanIncent_recvdcare | Was this client offered Financial Incentives for <u>receipt of care</u> ?     | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network at time of diagnosis<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank]=Missing | This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888". | Num           |

| Variable Name                                   | Variable   | Response Options   | Comments   | Variable Type |
|---|--|--|--|---------------|
| FinanIncent_viralsuppres                        | Was this client offered Financial Incentives for <u>being virally suppressed</u> ?                   | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network at time of diagnosis<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank]=Missing | This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "888".  | Num           |
| <b>7. Retention in Care (Client-level data)</b> |  |  |  |               |
| NAV_retention                                   | Was a navigator used to link client to a retention intervention?                                     | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   | Please answer Yes if a navigator was used for this client <u>REGARDLESS of whether linkage actually occurred</u><br><br>A retention intervention is any program or activity that is intended to help HIV-diagnosed persons keep their scheduled clinic appointments following entry into HIV medical care.   | Num           |
| linkedtoRetInterv_yn                            | Was this client linked to a retention intervention (attended a retention intervention session/visit) | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data[if left blank] [if left blank] = Missing   | A retention intervention is any program or activity that is intended to help HIV-diagnosed persons keep their scheduled clinic appointments following entry into HIV medical care.<br><br>Linked to retention intervention refers to the <u>outcome</u> of the referral or linkage, as indicated by the person's attendance at the first appointment or session (attendance of initial visit). | Num           |

| Variable Name    | Variable   | Response Options   | Comments   | Variable Type |
|------------------|--|--|--|---------------|
| retentioninterv1 | 1 <sup>st</sup> Date received retention intervention | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should be 01/01/1999 if linkedtoRetInterv_yn=0,999<br><br>Should NOT be 01/01/1999 if linkedtoRetInterv_yn=1                         | Num           |
| retentioninterv2 | 2 <sup>nd</sup> Date received retention intervention | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should NOT occur before 09/30/2015<br>Should NOT occur before retentioninterv1 date  | Num           |
| retentioninterv3 | 3 <sup>rd</sup> Date received retention intervention | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should NOT occur before 09/30/2015<br>Should NOT occur before retentioninterv1 date<br>Should NOT occur before retentioninterv2 date | Num           |

| Variable Name  | Variable   | Response Options   | Comments  | Variable Type |
|--|--|--|---|---------------|
| retentioninterv4   | 4 <sup>th</sup> Date received retention intervention | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should NOT occur before 09/30/2015<br>Should NOT occur before retentioninterv1 date<br>Should NOT occur before retentioninterv2 date<br>Should NOT occur before retentioninterv3 date | Num           |
| NOTE: If client received more than 4 Retention Intervention contacts, please use the same variable naming convention above, starting with variable name "retentioninterv5", "retentioninterv6", etc. and report date of each additional Retention Intervention contact client received |  |  |   |               |
| medicalvisit1  | Date of 1 <sup>st</sup> HIV medical care visit       | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing  | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should NOT occur before 09/30/2015  | Num           |
| medicalvisit2  | Date of 2 <sup>nd</sup> HIV medical care visit       | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing  | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should NOT occur before 09/30/2015<br>Should NOT occur before medicalvisit1 date  | Num           |

| Variable Name  | Variable   | Response Options  | Comments   | Variable Type |
|--|--|---|--|---------------|
| medicalvisit3  | Date of 3 <sup>rd</sup> HIV medical care visit   | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should NOT occur before 09/30/2015<br>Should NOT occur before medicalvisit1 date<br>Should NOT occur before medicalvisit2 date   | Num           |
| medicalvisit4  | Date of 4 <sup>th</sup> HIV medical care visit   | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should NOT occur before 09/30/2015<br>Should NOT occur before medicalvisit1 date<br>Should NOT occur before medicalvisit2 date<br>Should NOT occur before medicalvisit3 date | Num           |
| NOTE: If client attended more than 4 HIV Medical Care Visits, please use the same variable naming convention above, starting with variable name "medicalvisit5", "medicalvisit6", etc. and report date of each additional Medical Care Visit client attended |  |   |  |               |
| <b>E. Services for HIV-Positive Persons and HIV-Negative Persons</b>   |  |   |  |               |
| 8. STD Screening and Treatment (i.e., Syphilis, Gonorrhea, and Chlamydia Infections) (Client-level data)<br><i>Answer each STD screening event</i>   |  |   |  |               |
| NAV_STDTestTx_a  | Was a navigator used to link client to an STD testing and/or treatment provider? (1 <sup>st</sup> visit) | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      | Please answer Yes if a navigator was used for this client <u>REGARDLESS of whether linkage actually occurred</u>   | Num           |

| Variable Name | Variable  | Response Options   | Comments   | Variable Type |
|---------------|---|--|--|---------------|
| STDlink_yn_a  | Was patient linked to an STD testing and/or treatment provider? (1 <sup>st</sup> visit) | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   | Linked to an STD testing and/or Tx provider refers to the <u>outcome</u> of the referral or linkage, as indicated by the person's attendance at the first appointment (attendance of initial visit). | Num           |
| STD0_a        | Was patient screened for an STD? (1 <sup>st</sup> visit)                                | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   |  | Num           |
| STD1_a        | Date screened for STDs (1 <sup>st</sup> visit)  | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should be 01/01/1999 if STD0_a=0,999<br>Should NOT be 01/01/1999 if STD0_a=1                                     | Num           |
| STD2_syp_a    | Patient screened for syphilis? (1 <sup>st</sup> visit)                                  | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   |  | Num           |

| Variable Name | Variable   | Response Options  | Comments  | Variable Type |
|---------------|--|---|---|---------------|
| STD2_gon_a    | Patient screened for gonorrhea? (1 <sup>st</sup> visit)                    | 0=No<br>1=Yes, genital gonorrhea only<br>2= Yes, oropharyngeal gonorrhea only<br>3= Yes, rectal gonorrhea only<br>4= Yes, genital, and oropharyngeal gonorrhea only<br>5= Yes, genital, and rectal gonorrhea only<br>6= Yes, oropharyngeal and rectal gonorrhea only<br>7 = Yes, genital, oropharyngeal, and rectal gonorrhea<br>8= Yes, gonorrhea, site unknown<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing |   | Num           |
| STD2_chla_a   | Patient screened for Genital or Rectal Chlamydia?" (1 <sup>st</sup> visit) | 0=No<br>1=Yes, genital chlamydia only<br>2= Yes, rectal chlamydia only<br>3= Yes, genital and rectal chlamydia<br>4= Yes, chlamydia site unknown<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   | According to the current CDC guidelines, screening for oral chlamydia is not encouraged, hence, please select "0=No" if the client was <u>only</u> screened for oral chlamydia. | Num           |

| Variable Name | Variable   | Response Options   | Comments  | Variable Type |
|---------------|--|--|---|---------------|
| STD3_a        | Screened positive for one or more STDs (1 <sup>st</sup> visit)                                       | <p>0=Did not screen positive for gonorrhea, chlamydia (genital or rectal), or syphilis</p> <p>1=Screened positive for syphilis only</p> <p>2=Screened positive for gonorrhea only</p> <p>3=Screened positive for chlamydia only</p> <p>4=Screened positive for syphilis and gonorrhea only</p> <p>5=Screened positive for syphilis and genital or rectal chlamydia only</p> <p>6=Screened positive for gonorrhea and genital or rectal chlamydia only</p> <p>7=Screened positive for all 3 (syphilis, gonorrhea, and genital or rectal chlamydia)</p> <p>996=Out of Network/Anonymous Screener</p> <p>997=Don't know/lost to follow-up</p> <p>998=Refused to answer</p> <p>999=Not applicable</p> <p>888=We will not report this data</p> <p>[if left blank] = Missing</p> | <p>Although, according to the current CDC guidelines, screening for oral chlamydia is not encouraged, treatment for oral chlamydia is. Hence, please include positive screenings of oral chlamydia when responding to this item.</p> <p>Should NOT be 999 if STD0_a=1</p> <p>Should be 999 if STD0_a=0, 999</p> | Num           |
| STD4_a        | Referred to STD treatment provider if screened positive for one or more STDs (1 <sup>st</sup> visit) | <p>0=No</p> <p>1=Yes</p> <p>996=Out of Network/Anonymous Screener</p> <p>997=Don't know/lost to follow-up</p> <p>998=Refused to answer</p> <p>999=Not applicable</p> <p>888=We will not report this data</p> <p>[if left blank] = Missing</p>  | <p>Although, according to the current CDC guidelines, screening for oral chlamydia is not encouraged, treatment for oral chlamydia is. Hence, please include positive screenings of oral chlamydia when responding to this item.</p> <p>Should NOT be 1 if STD3_a =0, 999</p>                                   | Num           |

| Variable Name | Variable  | Response Options   | Comments  | Variable Type |
|---------------|---|--|---|---------------|
| STD5_a        | Date referred to STD treatment (1 <sup>st</sup> visit)  | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Although, according to the current CDC guidelines, screening for oral chlamydia is not encouraged, treatment for oral chlamydia is. Hence, please include positive screenings of oral chlamydia when responding to this item.<br><br>Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should not be 01/01/1999 if STD4_a=1<br>Should be 01/01/1999 if STD4_a =0, 999<br>Should NOT occur before 09/30/2015 | Num           |
| STD6_a        | Linked to an STD treatment provider if screened positive for one or more STDs (1 <sup>st</sup> visit) | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   | Although, according to the current CDC guidelines, screening for oral chlamydia is not encouraged, treatment for oral chlamydia is. Hence, please include positive screenings of oral chlamydia when responding to this item.   | Num           |
| STD7_a        | Date linked to STD treatment provider (1 <sup>st</sup> visit)   | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Although, according to the current CDC guidelines, screening for oral chlamydia is not encouraged, treatment for oral chlamydia is. Hence, please include positive screenings of oral chlamydia when responding to this item.<br><br>Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should not be 01/01/1999 if STD6_a=1<br>Should be 01/01/1999 if STD6_a =0, 999<br>Should NOT occur before 09/30/2015 | Num           |

| Variable Name   | Variable   | Response Options   | Comments  | Variable Type |
|-----------------|--|--|---|---------------|
| STD8_a          | Received STD treatment if screened positive for one or more STDs (1 <sup>st</sup> visit)                 | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   | Although, according to the current CDC guidelines, screening for oral chlamydia is not encouraged, treatment for oral chlamydia is. Hence, please include positive screenings of oral chlamydia when responding to this item.<br><br>Should NOT be 999 if STD3_a=1-7  | Num           |
| STD9_a          | Date received STD treatment (1 <sup>st</sup> visit)  | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Although, according to the current CDC guidelines, screening for oral chlamydia is not encouraged, treatment for oral chlamydia is. Hence, please include positive screenings of oral chlamydia when responding to this item.<br><br>Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should NOT be 01/01/1999 if STD8_a=1<br>Should be 01/01/1999 if STD8_a =0, 999<br>Should NOT occur before 09/30/2015 | Num           |
| NAV_STDTestTx_b | Was a navigator used to link client to an STD testing and/or treatment provider? (2 <sup>nd</sup> visit) | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   | Please answer Yes if a navigator was used for this client <u>REGARDLESS of whether linkage actually occurred</u>  | Num           |
| STDlink_yn_b    | Was patient linked to an STD testing and/or treatment provider? (2 <sup>nd</sup> visit)                  | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   | Linked to an STD testing and/or Tx provider refers to the <u>outcome</u> of the referral or linkage, as indicated by the person's attendance at the first appointment (attendance of initial visit).  | Num           |

| Variable Name | Variable   | Response Options   | Comments  | Variable Type |
|---------------|--|--|---|---------------|
| STD0_b        | Was patient screened for an STD? (2 <sup>nd</sup> visit) | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   |   | Num           |
| STD1_b        | Date screened for STDs (2 <sup>nd</sup> visit)           | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should NOT be 01/01/1999 if STD0_b=1<br>Should be 01/01/1999 if STD0_b=0,999<br><br>Should NOT occur before 09/30/2015<br>Should NOT occur before STD1_a date | Num           |
| STD2_syp_b    | Patient screened for syphilis? (2 <sup>nd</sup> visit)   | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   |   | Num           |

| Variable Name | Variable   | Response Options  | Comments  | Variable Type |
|---------------|--|---|---|---------------|
| STD2_gon_b    | Patient screened for gonorrhea? (2 <sup>nd</sup> visit)                    | 0=No<br>1=Yes, genital gonorrhea only<br>2= Yes, oropharyngeal gonorrhea only<br>3= Yes, rectal gonorrhea only<br>4= Yes, genital, and oropharyngeal gonorrhea only<br>5= Yes, genital, and rectal gonorrhea only<br>6= Yes, oropharyngeal and rectal gonorrhea only<br>7 = Yes, genital, oropharyngeal, and rectal gonorrhea<br>8= Yes, gonorrhea, site unknown<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing |   | Num           |
| STD2_chla_b   | Patient screened for Genital or Rectal Chlamydia?" (2 <sup>nd</sup> visit) | 0=No<br>1=Yes, genital chlamydia only<br>2= Yes, rectal chlamydia only<br>3= Yes, genital and rectal chlamydia<br>4= Yes, chlamydia site unknown<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   | According to the current CDC guidelines, screening for oral chlamydia is not encouraged, hence, please select "0=No" if the client was <u>only</u> screened for oral chlamydia. | Num           |

| Variable Name | Variable   | Response Options   | Comments   | Variable Type |
|---------------|--|--|--|---------------|
| STD3_b        | Screened positive for one or more STDs (2 <sup>nd</sup> visit)                                       | <p>0=Did not screen positive for gonorrhea, chlamydia (genital or rectal), or syphilis</p> <p>1=Screened positive for syphilis only</p> <p>2=Screened positive for gonorrhea only</p> <p>3=Screened positive for chlamydia only</p> <p>4=Screened positive for syphilis and gonorrhea only</p> <p>5=Screened positive for syphilis and genital or rectal chlamydia only</p> <p>6=Screened positive for gonorrhea and genital or rectal chlamydia only</p> <p>7=Screened positive for all 3 (syphilis, gonorrhea, and genital or rectal chlamydia)</p> <p>996=Out of Network/Anonymous Screener</p> <p>997=Don't know/lost to follow-up</p> <p>998=Refused to answer</p> <p>999=Not applicable</p> <p>888=We will not report this data</p> <p>[if left blank] = Missing</p> | <p>Although, according to the current CDC guidelines, screening for oral chlamydia is not encouraged, treatment for oral chlamydia is. Hence, please include positive screenings of oral chlamydia when responding to this item.</p> <p>Should be 999 if STD0_b=0,999</p> <p>Should NOT be 999 if STD0_b=1</p> | Num           |
| STD4_b        | Referred to STD treatment provider if screened positive for one or more STDs (2 <sup>nd</sup> visit) | <p>0=No</p> <p>1=Yes</p> <p>996=Out of Network/Anonymous Screener</p> <p>997=Don't know/lost to follow-up</p> <p>998=Refused to answer</p> <p>999=Not applicable</p> <p>888=We will not report this data</p> <p>[if left blank] = Missing</p>  | <p>Although, according to the current CDC guidelines, screening for oral chlamydia is not encouraged, treatment for oral chlamydia is. Hence, please include positive screenings of oral chlamydia when responding to this item.</p> <p>Should NOT be 1 if STD3_b=0,999</p>                                    | Num           |

| Variable Name | Variable  | Response Options   | Comments   | Variable Type |
|---------------|---|--|--|---------------|
| STD5_b        | Date referred to STD treatment (2 <sup>nd</sup> visit)  | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Although, according to the current CDC guidelines, screening for oral chlamydia is not encouraged, treatment for oral chlamydia is. Hence, please include positive screenings of oral chlamydia when responding to this item.<br><br>Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should be 01/01/1999 if STD4_b=0,999<br>Should NOT be 01/01/1999 if STD4_b=1<br>Should NOT occur before 09/30/2015<br>Should NOT occur before STD5_a date | Num           |
| STD6_b        | Linked to an STD treatment provider if screened positive for one or more STDs (2 <sup>nd</sup> visit) | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   | Although, according to the current CDC guidelines, screening for oral chlamydia is not encouraged, treatment for oral chlamydia is. Hence, please include positive screenings of oral chlamydia when responding to this item.  | Num           |
| STD7_b        | Date linked to STD treatment provider (2 <sup>nd</sup> visit)   | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Although, according to the current CDC guidelines, screening for oral chlamydia is not encouraged, treatment for oral chlamydia is. Hence, please include positive screenings of oral chlamydia when responding to this item.<br><br>Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should be 01/01/1999 if STD6_b=0,999<br>Should NOT be 01/01/1999 if STD6_b=1<br>Should NOT occur before 09/30/2015<br>Should NOT occur before STD7_a date | Num           |

| Variable Name  | Variable   | Response Options   | Comments   | Variable Type |
|--|--|--|--|---------------|
| STD8_b   | Received STD treatment if screened positive for one or more STDs (2 <sup>nd</sup> visit) | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   | Although, according to the current CDC guidelines, screening for oral chlamydia is not encouraged, treatment for oral chlamydia is. Hence, please include positive screenings of oral chlamydia when responding to this item.<br><br>Should NOT be 999 if STD3_b=1-7   | Num           |
| STD9_b   | Date received STD treatment (2 <sup>nd</sup> visit)                                      | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Although, according to the current CDC guidelines, screening for oral chlamydia is not encouraged, treatment for oral chlamydia is. Hence, please include positive screenings of oral chlamydia when responding to this item.<br><br>Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should be 01/01/1999 if STD8_b=0,999<br>Should NOT be 01/01/1999 if STD8_b=1<br>Should NOT occur before 09/30/2015<br>Should NOT occur before STD9_a date | Num           |
| NOTE: If there are more than 2 STD screening visits for this client, please use the same variable naming convention above, starting with variable name "NAV_STDTestTx_c", etc. and report data for all 8 required variables (or all 14 variables, including non-required variables) per additional STD screening visit, etc. |  |  |  |               |
| <b>9. HIV Partner Services (PS) (Client-level data)</b>  |  |  |  |               |
| NAV_HIV_PS   | Was a navigator used to link client to HIV partner services interview?                   | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   | Please answer Yes if a navigator was used for this client <u>REGARDLESS</u> of whether linkage <u>actually occurred</u>  | Num           |

| Variable Name  | Variable                                  | Response Options   | Comments   | Variable Type |
|----------------|---|--|--|---------------|
| LinkPartner_yn | Linked to HIV partner services            | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   | Linked to HIV partner services interview refers to the outcome of the referral or linkage of an HIV positive person, as indicated by the person's attendance for partner services interview. | Num           |
| partner1       | Interviewed for HIV partner services      | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   |  | Num           |
| partner2       | Date interviewed for HIV partner services | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should NOT be 01/01/1999 if Partner1=1<br>Should be 01/01/1999 if Partner1=0,999                     | Num           |

| Variable Name   | Variable   | Response Options   | Comments  | Variable Type |
|---|--|--|---|---------------|
| partner3  | Number of partners named by persons  | Enter #<br><br>Or<br><br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing |   | Num           |
| <b>10. Risk Reduction Interventions (Client-level data)</b> |  |  |   |               |
| NAV_EBI   | Was a navigator used to link client to evidence-based behavioral risk-reduction counseling or interventions? | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   | Please answer Yes if a navigator was used for this client <u>REGARDLESS</u> of whether linkage <u>actually occurred</u>   | Num           |
| linkedtoEBI_yn  | Was this client linked to evidence-based behavioral risk-reduction counseling or interventions               | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing         | Linked to evidence-based behavior risk-reduction counseling or intervention refers to the <u>outcome</u> of the referral or linkage, as indicated by the person's attendance at the first appointment or session (attendance of initial visit). | Num           |

| Variable Name | Variable   | Response Options   | Comments  | Variable Type |
|---------------|--|--|---|---------------|
| EBI1          | 1 <sup>st</sup> Date received evidence-based behavioral risk reduction counseling or interventions if <i>enrolled in the project</i> | MM/DD/YYYY<br><br>Or<br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | A THRIVE client is any person who receives a service that is funded by PS15-1509, including screening, referral, navigation, linkage, medical care, or supplemental services (e.g., transportation assistance, job training, housing assistance).<br><br>Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should NOT be 01/01/1999 if linkedtoEBI_yn=1<br>Should be 01/01/1999 if linkedtoEBI_yn=0,999<br>Should NOT occur before 09/30/2015 | Num           |
| EBI2          | 2 <sup>nd</sup> Date received evidence-based behavioral risk reduction counseling or interventions if <i>enrolled in the project</i> | MM/DD/YYYY<br><br>Or<br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | A THRIVE client is any person who receives a service that is funded by PS15-1509, including screening, referral, navigation, linkage, medical care, or supplemental services (e.g., transportation assistance, job training, housing assistance).<br><br>Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should be 01/01/1999 if linkedtoEBI_yn=0,999<br>Should NOT occur before 09/30/2015<br>Should NOT occur before EBI1 date            | Num           |

| Variable Name   | Variable   | Response Options   | Comments   | Variable Type |
|---|--|--|--|---------------|
| EBI3  | 3 <sup>rd</sup> Date received evidence-based behavioral risk reduction counseling or interventions if <i>enrolled in the project</i> | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | A THRIVE client is any person who receives a service that is funded by PS15-1509, including screening, referral, navigation, linkage, medical care, or supplemental services (e.g., transportation assistance, job training, housing assistance).<br><br>Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should be 01/01/1999 if linkedtoEBI_yn=0,999<br>Should NOT occur before 09/30/2015<br>Should NOT occur before EBI1 date<br>Should NOT occur before EBI2 date                                      | Num           |
| EBI4  | 4 <sup>th</sup> Date received evidence-based behavioral risk reduction counseling or interventions if <i>enrolled in the project</i> | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | A THRIVE client is any person who receives a service that is funded by PS15-1509, including screening, referral, navigation, linkage, medical care, or supplemental services (e.g., transportation assistance, job training, housing assistance).<br><br>Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should be 01/01/1999 if linkedtoEBI_yn=0,999<br>Should NOT occur before 09/30/2015<br>Should NOT occur before EBI1 date<br>Should NOT occur before EBI2 date<br>Should NOT occur before EBI3 date | Num           |
| NOTE: If there are more than 4 EBI intervention dates for this client, please use the same variable naming convention above, starting with variable name "EBI5", "EBI6", etc. |  |  |  |               |
| Behavioral Health Services Screening, Social Services Screening, and Linkage Services<br><i>Answer for each screening event</i>   |  |  |  |               |
| 11. Behavioral Health Screening and Linkage - Mental Health Services (Client-level data)  |  |  |  |               |

| Variable Name | Variable  | Response Options  | Comments  | Variable Type |
|---------------|---|---|---|---------------|
| mentahlth1    | Screened for mental health service needs if enrolled in the project                               | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      | A THRIVE client is any person who receives a service that is funded by PS15-1509, including screening, referral, navigation, linkage, medical care, or supplemental services (e.g., transportation assistance, job training, housing assistance). | Num           |
| mentahlth2    | Found to have an unmet need if screened for mental health services                                | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      |   | Num           |
| mentahlth3    | Referred to mental health service provider if found to have with unmet mental health service need | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      |   | Num           |
| mentahlth4    | Date referred to mental health service provider   | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should be 01/01/1999 if mentahlth3=0,999<br>Should NOT be 01/01/1999 if mentahlth3=1  | Num           |

| Variable Name | Variable  | Response Options   | Comments   | Variable Type |
|---------------|---|--|--|---------------|
| mentahlth5    | Linked to a mental health service provider if found to have unmet mental health service need                | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   |  | Num           |
| mentahlth6    | Date linked to mental health service provider   | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing  | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should not be 01/01/1999 if mentahlth5=1<br>Should be 01/01/1999 if mentahlth5=0,999<br>Should NOT occur before 09/30/2015     | Num           |
| Mentahlth7    | Received mental health services, including treatment if found to have with unmet mental health service need | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   |  | Num           |
| Mentahlth8    | Date received mental health services  | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should NOT be 01/01/1999 if mentahlth7=1<br>Should be 01/01/1999 if mentahlth7=0,999<br>Should NOT occur before 09/30/2015 | Num           |

| Variable Name  | Variable  | Response Options   | Comments  | Variable Type |
|--|---|--|---|---------------|
| NAV_mentalhlth   | Was a navigator used to link client to a mental health service provider?                    | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing | Please answer Yes if a navigator was used for this client <u>REGARDLESS of whether linkage actually occurred</u>  | Num           |
| <b>12. Behavioral Health Screening and Linkage -Substance Abuse Services (Client-level data)</b> |   |  |   |               |
| substance1   | Screened for substance abuse service needs if <i>enrolled in the project</i>                | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing | A THRIVE client is any person who receives a service that is funded by PS15-1509, including screening, referral, navigation, linkage, medical care, or supplemental services (e.g., transportation assistance, job training, housing assistance). | Num           |
| substance2   | Found to have unmet needs if screened for substance abuse service needs                     | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing |   | Num           |
| substance3   | Referred to substance abuse service provider if found to have substance abuse service needs | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing |   | Num           |

| Variable Name | Variable  | Response Options  | Comments   | Variable Type |
|---------------|---|---|--|---------------|
| substance4    | Date referred to substance abuse service provider   | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should NOT be 01/01/1999 if substance3=1<br>Should be 01/01/1999 if substance3=0,999<br>Should NOT occur before 09/30/2015 | Num           |
| substance5    | Linked to a substance abuse service provider if found to have substance abuse service needs           | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      |  | Num           |
| substance6    | Date linked to a substance abuse service provider   | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should NOT be 01/01/1999 if substance5=1<br>Should be 01/01/1999 if substance5=0,999<br>Should NOT occur before 09/30/2015 | Num           |
| Substance7    | Received substance abuse services, including treatment if found to have substance abuse service needs | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing  |  | Num           |

| Variable Name | Variable  | Response Options   | Comments   | Variable Type |
|---------------|---|--|--|---------------|
| Substance8    | Date received substance abuse services  | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should NOT be 01/01/1999 if substance7=1<br>Should be 01/01/1999 if substance7=0,999<br>Should NOT occur before 09/30/2015   | Num           |
| NAV_substance | Was a navigator used to link client to a substance abuse disorder treatment service provider? | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   | Please answer Yes if a navigator was used for this client <u>REGARDLESS</u> of whether linkage <u>actually occurred</u>  | Num           |
| SBIRT_yn      | Was the intervention SBIRT used with this client?   | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   | Please indicate whether the SBIRT intervention was used with this THRIVE client. Any 1 of the 3 services (screening, brief intervention, and referral to treatment) must have been provided in order to code "1=Yes"<br><br>**NOTE: this variable will eventually be required once funds have been distributed. Also, the start date for data collection may vary from grantee-to-grantee depending on each grantee's implementation timeline. | Num           |

| Variable Name  | Variable  | Response Options   | Comments  | Variable Type |
|--|---|--|---|---------------|
| SAMHSA1  | Was this client referred to a SAMHSA treatment center?                                      | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing | SAMHSA stands for Substance Abuse Mental Health Services Administration<br><br>**NOTE: this variable will eventually be required once funds have been distributed. Also, the start date for data collection may vary from grantee-to-grantee depending on each grantee's implementation timeline. | Num           |
| SAMHSA2  | Was this client linked to a SAMHSA treatment center?  | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing | SAMHSA stands for Substance Abuse Mental Health Services Administration<br><br>**NOTE: this variable will eventually be required once funds have been distributed. Also, the start date for data collection may vary from grantee-to-grantee depending on each grantee's implementation timeline. | Num           |
| SAMHSA3  | Did this client receive SAMHSA services, including treatment, at a SAMHSA treatment center? | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing | SAMHSA stands for Substance Abuse Mental Health Services Administration<br><br>**NOTE: this variable will eventually be required once funds have been distributed. Also, the start date for data collection may vary from grantee-to-grantee depending on each grantee's implementation timeline. | Num           |
| <b>13. Social Service Screening and Linkage - Housing Services (Client-level data)</b> |   |  |   |               |
| housing1   | Screened for housing needs if <i>enrolled in the project</i>                                | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing | A THRIVE client is any person who receives a service that is funded by PS15-1509, including screening, referral, navigation, linkage, medical care, or supplemental services (e.g., transportation assistance, job training, housing assistance).   | Num           |

| Variable Name | Variable   | Response Options   | Comments   | Variable Type |
|---------------|--|--|--|---------------|
| housing2      | Found to have unmet housing needs if screened for housing needs              | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   |  | Num           |
| housing3      | Referred to housing assistance provider if found to have unmet housing needs | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   |  | Num           |
| housing4      | Date referred to housing assistance provider                                 | <i>MM/DD/YYYY</i><br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should NOT be 01/01/1999 if housing3=1<br>Should be 01/01/1999 if housing3=0,999<br>Should NOT occur before 09/30/2015 | Num           |
| housing5      | Linked to a housing assistance provider if found to have unmet housing needs | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   |  | Num           |

| Variable Name | Variable  | Response Options   | Comments   | Variable Type |
|---------------|---|--|--|---------------|
| housing6      | Date linked to a housing assistance provider                          | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing  | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should NOT be 01/01/1999 if housing5=1<br>Should be 01/01/1999 if housing5=0,999<br>Should NOT occur before 09/30/2015     | Num           |
| Housing7      | Received housing assistance if found to have unmet housing needs      | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   |  | Num           |
| Housing8      | Date received housing assistance                                      | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should NOT be 01/01/1999 if housing7=1<br>Should be 01/01/1999 if housing7=0,999<br>Should NOT occur before 09/30/2015 | Num           |
| NAV_housing   | Was a navigator used to link client to a housing assistance provider? | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   | Please answer Yes if a navigator was used for this client <u>REGARDLESS of whether linkage actually occurred</u>   | Num           |

| Variable Name  | Variable  | Response Options  | Comments  | Variable Type |
|--|---|---|---|---------------|
| <b>14. Social Service Screening and Linkage -- Employment/Job Training (Client-level data)</b> |   |   |   |               |
| employasst1  | Screened for employment assistance/job training needs if <i>enrolled in the project</i>                                 | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      | A THRIVE client is any person who receives a service that is funded by PS15-1509, including screening, referral, navigation, linkage, medical care, or supplemental services (e.g., transportation assistance, job training, housing assistance). | Num           |
| employasst2  | Found to have unmet employment assistance/job training needs if screened for employment assistance/job training needs   | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      |   | Num           |
| employasst3  | Referred to employment assistance/job training provider if found to have unmet employment assistance/job training needs | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      |   | Num           |
| employasst4  | Date referred to employment assistance/job training provider  | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should NOT be 01/01/1999 if employasst3=1<br>Should be 01/01/1999 if employasst3=0,999<br>Should NOT occur before 09/30/2015                                  | Num           |

| Variable Name | Variable  | Response Options   | Comments   | Variable Type |
|---------------|---|--|--|---------------|
| employasst5   | Linked to employment assistance/job training provider if found to have unmet employment assistance/job training needs | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   |  | Num           |
| employasst6   | Date linked to employment assistance/job training provider  | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing  | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should NOT be 01/01/1999 if employasst5=1<br>Should be 01/01/1999 if employasst5=0,999<br>Should NOT occur before 09/30/2015     | Num           |
| Employasst7   | Received employment assistance/job training if found to have unmet employment assistance/job training needs           | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   |  | Num           |
| Employasst8   | Date received employment assistance/job training  | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should NOT be 01/01/1999 if employasst7=1<br>Should be 01/01/1999 if employasst7=0,999<br>Should NOT occur before 09/30/2015 | Num           |

| Variable Name  | Variable  | Response Options   | Comments  | Variable Type |
|--|---|--|---|---------------|
| NAV_employasst   | Was a navigator used to link client to an employment assistance/job training provider?                | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing | Please answer Yes if a navigator was used for this client <u>REGARDLESS of whether linkage actually occurred</u>  | Num           |
| <b>15. Social Service Screening and Linkage – Transportation (Client-level data)</b> |   |  |   |               |
| transpo1   | Screened for transportation assistance needs if <i>enrolled in the project</i>                        | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing | A THRIVE client is any person who receives a service that is funded by PS15-1509, including screening, referral, navigation, linkage, medical care, or supplemental services (e.g., transportation assistance, job training, housing assistance). | Num           |
| transpo2   | Found to have unmet transportation assistance needs if screened for transportation assistance needs   | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing |   | Num           |
| transpo3   | Referred to transportation assistance provider if found to have unmet transportation assistance needs | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing |   | Num           |

| Variable Name | Variable  | Response Options  | Comments   | Variable Type |
|---------------|---|---|--|---------------|
| transpo4      | Date referred to transportation assistance provider   | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should NOT be 01/01/1999 if transpo3=1<br>Should be 01/01/1999 if transpo3=0,999<br>Should NOT occur before 09/30/2015 | Num           |
| transpo5      | Linked to a transportation assistance provider if found to have unmet transportation assistance needs | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      |  | Num           |
| transpo6      | Date linked to transportation assistance provider   | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should NOT be 01/01/1999 if transpo5=1<br>Should be 01/01/1999 if transpo5=0,999<br>Should NOT occur before 09/30/2015 | Num           |
| Transpo7      | Received transportation assistance if found to have unmet transportation assistance needs             | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing  |  | Num           |

| Variable Name   | Variable   | Response Options   | Comments  | Variable Type |
|---|--|--|---|---------------|
| Transpo8  | Date received transportation assistance                                      | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should NOT be 01/01/1999 if transpo7=1<br>Should be 01/01/1999 if transpo7=0,999<br>Should NOT occur before 09/30/2015  | Num           |
| NAV_transpo   | Was a navigator used to link client to a transportation assistance provider? | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   | Please answer Yes if a navigator was used for this client <u>REGARDLESS</u> of whether linkage <u>actually occurred</u>   | Num           |
| <b>16. Social Service Screening and Linkage – Education (Client-level data)</b> |  |  |   |               |
| educasst1   | Screened for education assistance needs if <i>enrolled in the project</i>    | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   | A THRIVE client is any person who receives a service that is funded by PS15-1509, including screening, referral, navigation, linkage, medical care, or supplemental services (e.g., transportation assistance, job training, housing assistance).<br><br>Education assistance needs may include, but are not limited to, G.E.D. assistance, scholarships for post-secondary education, continuing education, or other education-related support services. | Num           |

| Variable Name | Variable   | Response Options  | Comments   | Variable Type |
|---------------|--|---|--|---------------|
| educasst2     | Found to have unmet education assistance needs if screened for education assistance needs    | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      |  | Num           |
| educasst3     | Referred to education assistance provider if found to have unmet education assistance needs  | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      |  | Num           |
| educasst4     | Date referred to an education assistance provider  | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should NOT be 01/01/1999 if educasst3=1<br>Should be 01/01/1999 if educasst3=0,999<br>Should NOT occur before 09/30/2015 | Num           |
| educasst5     | Linked to an education assistance provider if found to have unmet education assistance needs | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing                                      |  | Num           |

| Variable Name | Variable  | Response Options   | Comments   | Variable Type |
|---------------|---|--|--|---------------|
| educasst6     | Date linked to an education assistance provider                                 | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing  | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should NOT be 01/01/1999 if educasst5=1<br>Should be 01/01/1999 if educasst5=0,999<br>Should NOT occur before 09/30/2015     | Num           |
| Educasst7     | Received education assistance if found to have unmet education assistance needs | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   |  | Num           |
| Educasst8     | Date received education assistance  | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>01/01/1988=We will not report this data<br>[if left blank]=Missing | Valid dates would be during the THRIVE project period, which started 09/30/2015.<br><br>Should NOT be 01/01/1999 if educasst7=1<br>Should be 01/01/1999 if educasst7=0,999<br>Should NOT occur before 09/30/2015 | Num           |
| NAV_educasst  | Was a navigator used to link client to an education assistance provider?        | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   | Please answer Yes if a navigator was used for this client <u>REGARDLESS of whether linkage actually occurred</u>   | Num           |

| Variable Name  | Variable   | Response Options   | Comments   | Variable Type |
|--|--|--|--|---------------|
| <b>18. Navigation for Health Insurance Screening and Linkage (Client-level data)</b> |  |  |  |               |
| InsuranceNav1  | Was a navigator used to link client to Health Insurance?       | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   | A THRIVE client is any person who receives a service that is funded by PS15-1509, including screening, referral, navigation, linkage, medical care, or supplemental services (e.g., transportation assistance, job training, housing assistance).<br><br>Please answer Yes if a navigator was used for this client <u>REGARDLESS</u> of whether linkage <u>actually occurred</u> | Num           |
| InsuranceNav2  | Date received Health Insurance linkage navigation service      | MM/DD/YYYY<br><br>Or<br><br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing                                  | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>Should NOT be 01/01/1999 if InsuranceNav1=1<br>Should be 01/01/1999 if InsuranceNav1=0,999<br>Should NOT occur before 09/30/2015   | Num           |
| Insurance_screen   | Screened for health insurance needs if enrolled in the project | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing | This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "995".  | Num           |

| Variable Name       | Variable  | Response Options   | Comments   | Variable Type |
|---------------------|---|--|--|---------------|
| Insurance_need      | Found to have an unmet need if screened for health insurance                            | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   | This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "995".  | Num           |
| Insurance_refer     | Referred to health insurance provider if found to have with unmet health insurance need | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   | This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "995".  | Num           |
| Insurance_referdate | Date referred to health insurance provider  | MM/DD/YYYY<br><br>Or<br><br>01/01/1995=This variable was not included at the time client was enrolled<br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "01/01/1995".<br><br>Should NOT be 01/01/1999 if insurance_refer=1<br>Should be 01/01/1999 if insurance_refer=0,999<br>Should NOT occur before 09/30/2015 | Num           |

| Variable Name      | Variable   | Response Options   | Comments   | Variable Type |
|--------------------|--|--|--|---------------|
| Insurance_link     | Linked to a health insurance provider if found to have unmet health insurance need   | 0=No<br>1=Yes<br>995=This variable was not included at the time client was enrolled<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>[if left blank] = Missing   | This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "995".  | Num           |
| Insurance_linkdate | Date linked to health insurance provider   | MM/DD/YYYY<br><br>Or<br><br>01/01/1995=This variable was not included at the time client was enrolled<br>01/01/1996=Out of Network/Anonymous Screener<br>01/01/1997=Don't know/lost to follow-up<br>01/01/1998=Refused to answer<br>01/01/1999=Not applicable<br>[if left blank]=Missing | Date supplied here should NOT precede the start of this project, 09/30/2015.<br><br>This variable was added after the first data submission (Dec 2017). Please make every effort to enter this data retrospectively for clients enrolled between 9/30/2015 and 5/18/2018). Otherwise, please code as "01/01/1995".<br><br>Should NOT be 01/01/1999 if Insurance_link=1<br>Should be 01/01/1999 if Insurance_link=0,999<br>Should NOT occur before 09/30/2015 | Num           |
| healthinsurance1   | Enrolled in health insurance plan or provided financial assistance for prescriptions if found to have unmet health insurance needs (uninsured/under-insured) | 0=No<br>1=Yes<br>996=Out of Network/Anonymous Screener<br>997=Don't know/lost to follow-up<br>998=Refused to answer<br>999=Not applicable<br>888=We will not report this data<br>[if left blank] = Missing   |  | Num           |

| Variable Name    | Variable  | Response Options   | Comments  | Variable Type |
|------------------|---|--|---|---------------|
| healthinsurance2 | Date enrolled in health insurance plan or provided financial assistance for prescriptions | <p><i>MM/DD/YYYY</i></p> <p>Or</p> <p>01/01/1996=Out of Network/Anonymous Screener<br/> 01/01/1997=Don't know/lost to follow-up<br/> 01/01/1998=Refused to answer<br/> 01/01/1999=Not applicable<br/> 01/01/1988=We will not report this data<br/> [if left blank]=Missing</p> | <p>Valid dates would be during the THRIVE project period, which started 09/30/2015.</p> <p>Should NOT be 01/01/1999 if healthinsurance1 = 1</p> <p>Should be 01/01/1999 if healthinsurance1 = 0,999</p> <p>Should NOT occur before 09/30/2015</p> | Num           |

**\*\*\*ALL PROGRAM-LEVEL DATA IS REQUIRED TO BE REPORTED\*\*\***

\*\*\*To enter Program-Level Indicator Data below, please see Cross-Site Evaluation Data Collection spreadsheet in Excel\*\*\*\*

**PROGRAM-LEVEL INDICATORS**

**Table of Contents**

| Program-Level Indicators   | Reference Code from M&E List of Variables | Table                    |
|--|---|--------------------------|
| PrEP/nPEP Capacity-Building Activities: Staff Hiring and Reassignments | 2Q-2R & 21A                               | <a href="#">Table A.</a> |
| PrEP/nPEP Capacity-building Activities: Trainings                      | 2S-2U & 20A                               | <a href="#">Table B.</a> |
| PrEP/nPEP Capacity-Building Activities: Contracts                      | 2V-2W & 22A-22B                           | <a href="#">Table C.</a> |
| PrEP/nPEP Awareness and Knowledge Activities                           | 2X-2AA                                    | <a href="#">Table D.</a> |
| Capacity-Building Activities: Billing and Reimbursement                | 19A-19D                                   | <a href="#">Table E.</a> |

# Program-Level Indicators Data Collection Template Screenshot

The screenshot displays the Microsoft Excel interface for a 'Program-level Data Collection Template'. The 'Review' tab is active, showing options for comments and changes. The spreadsheet content includes:

- Table of Contents:**
  - Table A: Capacity-Building Activities: Staff Hiring and Reassignments
  - Table B: Capacity-building Activities: Trainings
  - Table C: Capacity-Building Activities: Contracts
  - Table D: Awareness and Knowledge Activities
  - Table E: Capacity-Building Activities: Billing and Reimbursement
- Reporting Periods:**
  - Previous Reporting Period: Apr 17, 2017 – Sep. 29, 2017
  - Current Reporting Period: Sep. 30, 2017 – Mar. 31, 2018
- PS15-1509 (THRIVE) Bi-annual Evaluation Data Submission Schedule:**

| Project Year  | 1 <sup>st</sup> Data Submission Date | 1 <sup>st</sup> Data Period   | 2 <sup>nd</sup> Data Submission Date | 2 <sup>nd</sup> Data Period   |
|---|--------------------------------------|-------------------------------|--------------------------------------|-------------------------------|
| 1 (Sep.30, 2015 - Sep. 29, 2016)                                  | ---                                  | ---                           | ---                                  | ---                           |
| 2 (Sep.30, 2016 – Sep. 29, 2017)                                  | ---                                  | ---                           | Nov. 17, 2017                        | Apr 17, 2017 – Sep. 29, 2017  |
| 3 (Sep.30, 2017 – Sep. 29, 2018)                                  | 15-Jun-18                            | Sep. 30, 2017 – Mar. 31, 2018 | Nov. 15, 2018                        | Apr 1, 2018 – Sep. 29, 2018   |
| 4 (Sep.30, 2018 – Sep. 29, 2019)                                  | 15-Jun-19                            | Sep. 30, 2018 – Mar. 31, 2019 | Nov. 15, 2019                        | Apr 1, 2019 – Sep. 29, 2019   |
| No Cost Extension (NCE) Year*<br>(Sep.30, 2019 – Sep. 29, 2020**) | 15-May-20                            | Sep. 30, 2019 – Mar. 31, 2020 | Nov. 15, 2020**                      | Apr 1, 2020 – Sep. 29, 2020** |
- Footnotes:**
  - \*Pending approval for a one year, no-cost extension
  - \*\*Pending extension of OMB approval from May 1, 2020-Sept. 29, 2020 (current OMB approval expires April 30, 2020)

The bottom sheet navigation bar shows tabs for 'TOC Program-Level', 'Table A', 'Table B', 'Table C', 'Table D', and 'Table E'. The 'TOC Program-Level' tab is circled in black, and a black arrow points to it from the right side of the spreadsheet.

**OMB Control Number (0920-1178) and OMB Approval Expiration Date (4/30/2020)**

**Instruction: Please provide information on staff hiring and/or reassignments to support program implementation. Staff may include those located at the health department and those implementing activities through contracts and as partner agencies.**

**Table A. Capacity-Building Activities: Staff Hiring and Reassignments (reporting period varies; see below)**

Previous Reporting Period Apr 17, 2017 – Sep. 29, 2017  
 Current Reporting Period Sep. 30, 2017 – Mar. 31, 2018

[Back to Table of Contents](#)

|   |   | Health Department Staff |                          | Partner Staff          |                                       |
|---|---|-------------------------|--------------------------|------------------------|---------------------------------------|
|   |   | # HD Staff              | HD Staff Position Titles | # Partner Agency Staff | Partner Agency Staff: Position Titles |
| 1 | Number of Staff Carried over from previous reporting period |                         |                          |                        |                                       |
| 2 | Number of New Staff Hired Since Last Reporting Period       |                         |                          |                        |                                       |
| 3 | Number of Staff Reassigned Since Last Reporting Period      |                         |                          |                        |                                       |
| 4 | Number of Staff Vacancies for Current Reporting Period      |                         |                          |                        |                                       |
| 5 | Number of Staff Resigned Since Last Reporting Period        |                         |                          |                        |                                       |
|   | <b>TOTAL # of Staff for Current Reporting Period</b>        |                         |                          |                        |                                       |

**Data sources:**

**Were there any data collection and reporting challenges? If yes, please describe below.**

**Instruction: Please provide information on capacity-building trainings staff received to support program implementation. Staff may include those located at the health department and those implementing activities through contracts and as partner agencies.**

**Table B. Capacity-building Activities: Trainings (for current reporting period)**

Previous Reporting Period Apr 17, 2017 – Sep. 29, 2017

**Current Reporting Period Sep. 30, 2017 – Mar. 31, 2018**

[Back to Table of Contents](#)

|   | Name / Description of Trainings | Purpose of Training | Description of Attendees (e.g. physicians, nurses, case mangers; new vs existing staff) | Number of Staff Trained with this Training | Number of Facilities/Practices Represented by Staff Trained |
|---|---------------------------------|---------------------|---|--|---|
| 1 |                                 |                     |   |  |   |
| 2 |                                 |                     |   |  |   |
| 3 |                                 |                     |   |  |   |
| 4 |                                 |                     |   |  |   |
| 5 |                                 |                     |   |  |   |
| 6 |                                 |                     |   |  |   |
| 7 |                                 |                     |   |  |   |

**Number of unique staff trained =**

Data sources:

**Instruction: Please provide information on contracts executed to support program implementation.**

**Table C. Capacity-Building Activities: Contracts (cumulative across reporting periods)**

|                           |                               |
|---------------------------|-------------------------------|
| Previous Reporting Period | Apr 17, 2017 – Sep. 29, 2017  |
| Current Reporting Period  | Sep. 30, 2017 – Mar. 31, 2018 |

[Back to Table of Contents](#)

|   | <u>Name of contract</u> | <u>Contract Status</u><br>A = Still in process<br>B = Newly executed<br>C = Existing - still active<br>D = Existing - renewed<br>E = Canceled | <u>Purpose of Contract</u> | <u>Contractor Type</u><br>(FQHC, CBO, university, etc.) |
|---|-------------------------|---|----------------------------|---|
| 1 |                         |   |                            |   |
| 2 |                         |   |                            |   |
| 3 |                         |   |                            |   |
| 4 |                         |   |                            |   |
| 5 |                         |   |                            |   |

**Data sources:**

**Qualitative question:** Description of any partnerships, policies, MOUs, (including the number), any PrEP activities before THRIVE, any leveraging of funding from other sources, billing reimbursement capacity, contracts, trainings, PrEP provider directories, etc.

**Instruction: Please provide information on activities used to generate awareness and knowledge of PrEP, nPEP, and other HIV prevention and care strategies. Activities may include social marketing campaigns, community-level interventions, and public health/detailing.**

**Table D. Awareness and Knowledge Activities (for current reporting period)**

[Back to Table of Contents](#)

|                           |                               |
|---------------------------|-------------------------------|
| Previous Reporting Period | Apr 17, 2017 – Sep. 29, 2017  |
| Current Reporting Period  | Sep. 30, 2017 – Mar. 31, 2018 |

|      | Activities/Methods (ex. Radio, public health detailing, etc.) | Purpose & Focus (e.g., knowledge or awareness of PrEP) | Name of the Social Marketing Campaign (if applicable) | Description of Target Population (e.g., Providers, MSM, TG, general) | Type and Nature of Media Placements (if applicable) | Number of Media Placements (if applicable) | Estimated Number of People Reached |
|------|---|--|---|--|---|--|------------------------------------|
| 1    |   |  |   |  |   |  |                                    |
| 2    |   |  |   |  |   |  |                                    |
| 3    |   |  |   |  |   |  |                                    |
| 4    |   |  |   |  |   |  |                                    |
| Etc. |   |  |   |  |   |  |                                    |

**Data sources:**

**Qualitative Data:**

*Description of activities implemented to increase knowledge and awareness of PrEP, nPEP, and other HIV prevention and care strategies among **MSM and transgender persons** (e.g., social marketing campaigns, community-level interventions)*

**Instruction: Please provide information on billing and reimbursement of project activities. Activities may include HIV tests, STD screening, and PrEP and nPEP clinical services.**

**Table E. Capacity-Building Activities: Billing and Reimbursement (for current reporting period)**

|                                  |                                      |
|----------------------------------|--------------------------------------|
| <b>Previous Reporting Period</b> | <b>Apr 17, 2017 – Sep. 29, 2017</b>  |
| <b>Current Reporting Period</b>  | <b>Sep. 30, 2017 – Mar. 31, 2018</b> |

|   | <b>Service Type</b>    | <b>How much of this service was provided in the reporting year (Quantity - persons tested/screened)?</b> | <b>What % of the service was billed to 3rd party payer?</b> | <b>What % of the service was reimbursed by a 3rd party payer?</b> |
|---|------------------------|--|---|---|
| 1 | HIV tests              |  |   |   |
| 2 | STD screening          |  |   |   |
| 3 | PrEP clinical services |  |   |   |
| 4 | nPEP clinical services |  |   |   |

[Back to Table of Contents](#)

**---END OF CODEBOOK---**